

REFERENCES

References marked with an asterisk (*) are project-related publications of research results; those marked with a dagger (†) are master's theses written by students working on the project. Project-related, general-information publications are not listed here because they are superceded by this bulletin.

- Adamson, A. M. 1942. Mole cricket parasites of the genus *Larra* in Trinidad. Rev. Appl. Entomol., Ser. A. 30:515.
- Barrett, O. W. 1902. The changa, or mole cricket (*Scapteriscus didactylus* Latr.) in Porto Rico. Porto Rico Agri. Exp. Stn. Bull. 2:1-19.
- *Beugnon, Guy. 1981. Orientation of southern mole cricket, *Scapteriscus acletus*, landing at a sound source. Fla. Entomol. 64(4):463-468.
- †Castner, J. L. 1983. Biology and ecology of the mole cricket parasitoid *Larra bicolor*. 80 pp.
- *Castner, J. L. 1984. Suitability of *Scapteriscus* spp. mole crickets (Orthoptera: Gryllotalpidae) as hosts of *Larra bicolor* (Hymenoptera: Sphecidae). Entomophaga 29 (3):323-329.
- *Castner, J. L., and H. G. Fowler. 1984. Gut content analyses of Puerto Rican mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus*). Fla. Entomol. 67 (3):479-481.
- *Castner, J. L., and H. G. Fowler. 1984. Distribution of mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus*) and the mole cricket parasitoid *Larra bicolor* (Hymenoptera: Sphecidae) in Puerto Rico. Fla. Entomol. 67 (3):481-484.
- *Castner, J. L., and J. L. Nation. 1984. Cuticular lipids for species recognition of mole crickets (Orthoptera: Gryllotalpidae) I. *Scapteriscus didactylus*, *Scapteriscus imitatus*, and *Scapteriscus vicinus*. Fla. Entomol. 67: 155-160.
- *Forrest, T. G. 1980. Phonotaxis in mole crickets: its reproductive significance. Fla. Entomol. 63(1):45-53.
- †Forrest, T. G. 1981. Acoustic behavior, phonotaxis, and mate choice in two species of mole crickets (Gryllotalpidae: *Scapteriscus*). 72 pp.
- *Forrest, T. G. 1983. Calling songs and mate choice in mole crickets. Pages 185-204 in D. T. Gwynne and G. K. Morris, eds. Orthopteran mating systems: sexual competition in a diverse group of insects. Westview, Boulder, Colo.
- *Forrest, T. G. 1983. Phonotaxis and calling in Puerto Rican mole crickets (Orthoptera: Gryllotalpidae). Ann. Entomol. Soc. Am. 76(4): 797-799.
- *Fowler, H. G., and J. N. Kochalka. 1985. New Record of *Euphasiopteryx depleta* (Diptera: Tachinidae) from Paraguay: Attraction to broadcast calls of *Scapteriscus acletus* (Orthoptera: Gryllotalpidae). Fla. Entomol. 68 (1):225-226.
- *Fritz, G. N. A technique for separating mole crickets from soil. Fla. Entomol. 66: 360-362.
- †Green, M. E. 1982. Laboratory and field methods for evaluating toxic baits for control of the mole crickets, *Scapteriscus acletus* and *Scapteriscus vicinus*. 39 pp.

- Hayslip, N. C. 1943. Notes on biological studies of mole crickets at Plant City, Florida. Fla. Entomol. 26(3):33–46.
- †Kepner, R. L. 1981. Evaluation of bait attractants for mole crickets *Scapteriscus vicinus* and *S. acletus* (Orthoptera: Gryllotalpidae). 38 pp.
- *Kleyla, P. C., and G. Dodson. 1978. Calling behavior and spatial distribution of two species of mole crickets in the field. Ann. Entomol. Soc. Am. 71(4):602–604.
- Koehler, P. G., and D. E. Short. 1976. Control of mole crickets in pasturegrass. J. Econ. Entomol. 69(2):229–232.
- Koehler, P. G., and D. E. Short. 1976. Pasture mole cricket control with an applicator-formulated bait. Fla. Entomol. 59(2):180–182.
- Lawrence, K. L. 1982. A linear pitfall trap for mole crickets and other soil arthropods. Fla. Entomol. 65(3):376–377.
- *Mangold, J. R. 1978. Attraction of *Euphasiopsis ochracea*, *Corethrella* sp. and gryllids to broadcast songs of the southern mole cricket. Fla. Entomol. 61(2):57–61.
- *Matheny, E. L., Jr. 1981. Contrasting feeding habits of pest mole cricket species. J. Econ. Entomol. 74:444–445.
- *Matheny, E. L., Jr., and R. L. Kepner. 1980. Maxillae of the mole crickets, *Scapteriscus acletus* Rehn and Hebard and *S. vicinus* Scudder (Orthoptera: Gryllotalpidae): a new means of identification. Fla. Entomol. 63(4):512–514.
- *Matheny, E. L., Jr., R. L. Kepner, and K. M. Portier. 1983. Landing distribution and density of two sound-attracted mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus*). Ann. Entomol. Soc. Am. 76(1):278–281.
- *Matheny, E. L., Jr., A. Tsedeke, and B. J. Smittle. 1981. Feeding response of mole cricket nymphs (Orthoptera: Gryllotalpidae: *Scapteriscus*) to radio-labeled grasses with, or without, alternative food available. J. Ga. Entomol. Soc. 16:492–495.
- *Nation, J. L. 1983. Specialization in the alimentary canal of mole crickets. Int. J. Insect Morph. Embryol. 12(4):201–210.
- *Ngo, Dong and H. W. Beck. 1982. Mark-release of sound-attracted mole crickets: flight behavior and implications for control. Fla. Entomol. 65(4):531–538.
- *Nickerson, J. C., D. E. Snyder, and C. C. Oliver. 1979. Acoustical burrows constructed by mole crickets. Ann. Entomol. Soc. Am. 72(3):438–440.
- *Nickle, D. A., and J. L. Castner. 1984. Introduced species of mole crickets in the United States, Puerto Rico, and the Virgin Islands (Orthoptera: Gryllotalpidae). Ann. Entomol. Soc. Am. 77(4):450–465.
- *Reinert, J. A. 1983. Foraging sites of the southern mole cricket, *Scapteriscus acletus* (Orthoptera: Gryllotalpidae). Proc. Fla. State Hort. Soc. 96: 149–151.
- *Reinert, J. A. 1983. Mole crickets are damaging to turfgrass and ornamentals. Proc. South. Nurserymans Assoc. Res. Conf. 28:150–151.
- *Schuster, D. J. 1981. Mole cricket control in tomato, 1980. Insecticide Acaricide Tests 6:98–99.
- *Schuster, D. J. 1982. Mole cricket control in tomato, 1981. Insecticide Acaricide Tests 7:122.
- *Schuster, D. J. 1983. Mole cricket control in tomato, 1982. Insecticide Acaricide Tests 8:147.
- *Schuster, D. J. 1984. Mole cricket control in tomato, 1983. Insecticide Acaricide Tests 9:199–200.

- Short, D. E., and D. P. Driggers. 1973. Field evaluation of insecticides for controlling mole crickets in turf. Fla. Entomol. 56(1):19-23.
- *Short, D. E., and P. G. Koehler. 1979. A sampling technique for mole crickets and other pests in turfgrass and pasture. Fla. Entomol. 62(3):282-283.
- *Short, D. E., and P. G. Koehler. 1980. Evaluation of pesticides against mole crickets. Insecticide Acaricide Tests 5:196.
- *Short, D. E., and P. G. Koehler. 1980. Location as a variable for evaluating pesticides against mole crickets. J. Ga. Entomol. Soc. 15:241-245.
- *Short, D. E., and J. A. Reinert. 1982. Biology and control of mole crickets in Florida. Pages 119-124 in H. D. Neimczyk and B. G. Joyner, eds. Advances in turfgrass entomology. Hammer Graphics, Piqua, Ohio.
- Smith, C. E. 1935. *Larra analis* Fabricius, a parasite of the mole cricket *Gryllotalpa hexadactyla* Perty. Proc. Entomol. Soc. Wash. 37(4):65-87.
- *Taylor, T. R. 1979. Crop contents of two species of mole crickets, *Scapteriscus acletus* and *S. vicinus* (Orthoptera: Gryllotalpidae). Fla. Entomol. 62(3):278-279.
- Thomas W. A. 1928. The Porto Rican mole cricket. USDA Farmers' Bull. 1561:1-9.
- †Tsediske, Abata. 1979. Plant material consumption and subterranean movements of mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus*) as determined by radioisotope techniques with notes on materials for laboratory feeding. 72 pp.
- Ulagaraj, S. M. 1974. Effects of insecticides on mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus*). Fla. Entomol. 57(4):414.
- Ulagaraj, S. M. 1975. Mole crickets: ecology, behavior, and dispersal flight (Orthoptera: Gryllotalpidae: *Scapteriscus*). Environ. Entomol. 4(2):265-273.
- Ulagaraj, S. M. 1976. Sound production in mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus*). Ann. Entomol. Soc. Am. 69(2):299-306.
- Ulagaraj, S. M., and T. J. Walker. 1973. Phonotaxis of crickets in flight: Attraction of male and female crickets to male calling songs. Science 182:1278-1279.
- Ulagaraj, S. M., and T. J. Walker. 1975. Response of flying mole crickets to three parameters of synthetic songs broadcast outdoors. Nature 253(5492):530-532.
- Van Zwaluwenberg, R. H. 1918. The changa or West Indian mole cricket. Porto Rico Agric. Exp. Stn. Bull. 23:1-28.
- †Walker, S. L. 1979. Population estimation, damage evaluation and behavioral studies on mole crickets *Scapteriscus vicinus* and *S. acletus* (Orthoptera: Gryllotalpidae). 83 pp.
- *Walker, T. J. 1982. Sound traps for sampling mole cricket flights (Orthoptera: Gryllotalpidae: *Scapteriscus*). Fla. Entomol. 65(1):105-110.
- *Walker, T. J., and G. N. Fritz. 1983. Migratory and local flights in mole crickets, *Scapteriscus* spp. (Gryllotalpidae). Environ. Entomol. 12(3):953-958.
- *Walker, T. J., R. C. Littel, and Ngo Dong. 1982. Which mole crickets damage bahiagrass pastures? Fla. Entomol. 65(1):110-116.
- *Walker, T. J., and J. L. Nation. 1982. Sperm storage in mole crickets: fall matings fertilize spring eggs in *Scapteriscus acletus*. Fla. Entomol. 65(2):283-285.
- *Walker, T. J., and Ngo Dong. 1982. Mole crickets and pasture grasses:

- damage by *Scapteriscus vicinus* but not by *S. acletus* (Orthoptera: Gryllo-talpidae). Fla. Entomol. 65(3):300–306.
- *Walker, T. J., and D. A. Nickle. 1981. Introduction and spread of pest mole crickets: *Scapteriscus vicinus* and *S. acletus* reexamined. Ann. Entomol. Soc. Am. 74:158–163.
- *Walker, T. J., J. A. Reinert, and D. J. Schuster. 1983. Geographical variation in flights of mole crickets, *Scapteriscus* spp. (Orthoptera: Gryllotalpidae). Ann. Entomol. Soc. Am. 76(3): 507–517.
- Williams, F. X. 1928. Studies in tropical wasps—their hosts and associates with descriptions of new species. Entomol. Ser., Hawaii Sugar Planters' Assoc. Exp. Stn. Bull. 19:1–179.
- *Williams, J. J., and L. N. Shaw. 1982. A soil corer for sampling mole crickets. Fla. Entomol. 65(1):192–194.
- Wolcott, G. N. 1938. The introduction into Puerto Rico of *Larra americana* Saussure, a specific parasite of the “changa,” or Puerto Rican mole-cricket, *Scapteriscus vicinus* Scudder. J. Agri. Univ. Puerto Rico 22(2):193–218.
- Wolcott, G. N. 1939. A parasite of the Puerto Rican mole-cricket. Science 89 (2318):508–509.
- Wolcott, G. N. 1940. A Tachinid parasite of Puerto Rican changa. J. Econ. Entomol. 33(1):202.
- Wolcott, G. N. 1941. The establishment in Puerto Rico of *Larra americana* Saussure. J. Econ. Entomol. 34:53–56.
- Worsham, E. L., and W. V. Reed. 1912. The mole cricket (*Scapteriscus didactylus* Latr.). Ga. Agri. Exp. Stn. Bull. 101:251–263.
- *Yu, S. J. 1982. Microsomal oxidases in the mole crickets, *Scapteriscus acletus* Rehn and Hebard and *Scapteriscus vicinus* Scudder. Pest. Biochem. Physiol. 17:170–176.