

## **J.H. Frank – all publications**

### **1. Books authored or edited.**

Frank, J.H., Lounibos, L.P. (eds.) 1983. Phytotelmata: terrestrial plants as hosts for aquatic insect communities. Medford, New Jersey; Plexus Publishing, vii + 293 p.

Lounibos, L.P., Rey, J.R., Frank, J.H. (eds.) 1985. Ecology of mosquitoes: Proceedings of a workshop. Vero Beach, Florida; Florida Medical Entomology Laboratory, xix + 579 p.

Habeck, D.H., Bennett, F.D., Frank, J.H. (eds.) 1990. Classical biological control of insects and weeds in the southern United States. Southern Cooperative Series Bull. **355**: i-viii, 1-197.

Arnett, R.H., Thomas, M.C., Skelley, P.E., Frank, J.H. (eds.) 2002. American beetles. Polyphaga: Scarabaeoidea through Curculionoidea. Vol. 2. Boca Raton; CRC Press, xiv + 861 p.

### **2. Monographs, book chapters and bulletins.**

Frank, J.H. 1981. A revision of the New World species of the genus *Neobisnius* Ganglbauer (Coleoptera: Staphylinidae, Staphylininae). Occas. Papers Florida State Colln Arthropods **1**: i-vii, 1-60.

Frank, J.H. 1982. The parasites of the Staphylinidae (Coleoptera). A contribution towards an encyclopedia of the Staphylinidae. Univ. Florida agr. Exp. Stns, Tech. Bull. **824**: i-vii, 1-118.

Frank, J.H. 1983. Bromeliad phytotelmata and their biota, especially mosquitoes [p. 101-128, IN] Frank, J.H., Lounibos, L.P. (eds.) Phytotelmata: terrestrial plants as hosts for aquatic insect communities. Medford, New Jersey; Plexus Publishing, vii + 293 p.

Frank, J.H., Curtis, G.A., Rickard, J.T. 1985. Density dependent sex ratio distortion and developmental bimodality in *Wyeomyia vanduzeei* [p. 155-165, IN] Lounibos, L. P., Rey, J. R., Frank, J. H. (eds.) Ecology of mosquitoes: Proceedings of a workshop. Vero Beach, Florida; Florida Medical Entomology Laboratory, xix + 579 p.

Machado-Allison, C.E., Barrera R., R., Frank, J.H., Delgado, L., Gomez Cova, C. 1985. Mosquito communities in Venezuelan phytotelmata [p. 79-93, IN] Lounibos, L.P., Rey, J.R., Frank, J.H. (eds.) Ecology of mosquitoes: Proceedings of a workshop. Vero Beach, Florida; Florida Medical Entomology Laboratory, xix + 579 p.

- Frank, J.H. 1990. Mole crickets and other arthropod pests of turf and pastures. [p. 131-139, IN] Habeck, D.H., Bennett, F.D., Frank, J.H. (eds.) Classical biological control of insects and weeds in the southern United States. Southern Cooperative Series Bull. **355**: i-viii, 1-197.
- Giroux, K.G., Nalepa, C.A., Godfrey, K.E., Crocker, R.L., Frank, J.H. 1990. Japanese beetle, white grubs, and other beetle pests of turf [p. 141-148, IN] Habeck, D.H., Bennett, F.D., Frank, J.H. (eds.) Biological control of insects and weeds in the southern United States. Southern Cooperative Series Bull. **355**: i-viii, 1-197.
- Frank, J.H., Bennett, F.D. 1990. Conclusion on classical biological control [p. 175-179, IN] Habeck, D.H., Bennett, F.D., Frank, J.H. (eds.) Classical biological control of insects and weeds in the southern United States. Southern Cooperative Series Bull. **355**: i-viii, 1-197.
- Frank, J.H. 1990. Mosquito production from bromeliads in Florida. Univ. Florida agr. Exp. Stns, Tech. Bull. **877**: i-ii, 1-17.
- Frank, J.H. 1991. Staphylinidae [p. 341-352, IN] Stehr, F.W. (ed.) An introduction to immature insects of North America. Dubuque, Iowa; Kendall-Hunt, Vol. 2, xvi + 975 p.
- Smart, G.C., Nguyen, K.B., Parkman, J.P., Frank, J.H. 1991. Biological control of mole crickets in the genus *Scapteriscus* with the nematode *Steinernema scapterisci* Nguyen & Smart, 1990 [p. 151-155, IN] Pavis, C., Kermarrec, A. (eds.) Rencontres Caraïbes en lutte biologique (Guadeloupe, 1990). Paris; Institut National de la Recherche Agronomique, 572 p.
- Frank, J.H. 1994. Inoculative biological control of mole crickets [p. 453-461 in:] Leslie, A.R. (ed.) Integrated Pest Management for Turfgrass and Ornamentals. Boca Raton, FL; CRC Press.
- Frank, J.H. 1994. Biological control of pest mole crickets [p. 343-352 in:] Rosen, D., Bennett, F.D., Capinera, J.L. (eds.) Pest Management in the Subtropics. Biological Control - A Florida Perspective. Andover, England; Intercept.
- Lounibos, L.P., Frank, J.H. 1994. Biocontrol of mosquitoes [p. 395-409 in:] Rosen, D., Bennett, F.D., Capinera, J.L. (eds.) Pest Management in the Subtropics. Biological Control - A Florida Perspective. Andover, England; Intercept.
- Frank, J.H. 1994. An assessment of invasive non-indigenous insects in Florida's public lands [p. 44-52 in:] Schmitz, D.C., Brown, T.C. (eds.) An assessment of invasive non-indigenous species in Florida's public lands. Florida Dept. Environ. Prot. Tech. Rept. TSS-94-100.

- Frank, J.H. 1994. The arrival of non-indigenous insects into Florida [p. 53-56 *in:*] Schmitz, D.C., Brown, T.C. (eds.) An assessment of invasive non-indigenous species in Florida's public lands. Florida Dept. Environ. Prot. Tech. Rept. TSS-94-100.
- Frank, J.H. 1994. (ed.) Directory of Caribbean Entomologists. Winter Haven, FL; Florida Entomological Society 136 p.
- Frank, J.H. 1994. Mosquito production from bromeliads in Florida. Florida Coop. Ext. Serv., S.P. **166**: i-ii, 1-19.
- Butler, J.F., Frank, J.H. 1996. Muscoid flies and their control in Florida [p. 467-486 *in:*] Rosen, D., Bennett, F.D., Capinera, J.L. (eds.) Pest Management in the Subtropics. Integrated Pest Management - A Florida Perspective. Andover, England; Intercept, xiv + 578 p.
- Frank, J.H., McCoy, E.D., Hall, H.G., O'Meara, G.F., Tschinkel, W.R. 1997. Immigration and introduction of insects into Florida [p. 75-99, *in*] Simberloff, D., Schmitz, D.C., Brown, T.C. (eds.) Strangers in paradise: Impact and management of non-indigenous species in Florida. Washington, DC; Island Press, xii + 467 p.
- Center, T.D., Frank, J.H. Dray, F.A. 1997. Biological control [p. 245-263, *in*] Simberloff, D., Schmitz, D.C., Brown, T.C. (eds.) Strangers in paradise: Impact and management of non-indigenous species in Florida. Washington, DC; Island Press, xii + 467 p.
- Frank, J.H., Foltz, J.R. 1997. Classical biological control of pest insects of trees in the southern United States: A review and recommendations. Forest Health Technology Enterprise Team, USDA Forest Service, FHTET-96-20, 78 p.
- Frank, J.H. 1998. Staphylinidae [p. 36-43, *in:*] Woodruff, R.E., Beck, B.M., Skelley, P.E., Schotman, C.Y.L., Thomas, M.C. Checklist and bibliography of the insects of Grenada and the Grenadines. Center for Systematic Entomology, Memoir 2: 286 p.
- Frank, J.H. 2002. Pathways of arrival [p. 71-84, *in:*] Hallman, G.J., Schwalbe, C.P. (eds.) Invasive arthropods in agriculture - problems and solutions. Enfield, NH; Science Publishers, xiv + 447 p.
- Frank, J.H. 2002. Non-indigenous pest species [*in:*] Pimentel, D. (ed.) Marcel Dekker; New York, 929 p. [available only online with fee but later to be published in print with title Non-indigenous species: pests].
- Frank, J.H. 2004. Several contributions (150 biographical sketches authored, 6 articles authored or co-authored, the articles are:) Collecting and Preserving Insects<sup>1</sup> 1: 577-583, Common (vernacular) Names of Insects 1: 587-589; Phytotelmata 3: 1717-1720; Pronunciation of Scientific Names and Terms 3: 1832-1834; Rove beetles (Coleoptera: Staphylinidae)<sup>2</sup> 3: 1922-1927; Scientific Names and Other Words from Latin and Greek 3: 1970-1972. <sup>1</sup>P.M. Choate and J.H.Frank, <sup>2</sup>J.H.

- Frank and M.C. Thomas. [in:] Capinera, J.L. (ed.) 2004. Encyclopedia of Entomology. Dordrecht; Kluwer, 3 vols.
- Frank, J.H., Cave, R.D. 2005. *Metamasius callizona* is destroying Florida's native bromeliads [p. 91-101 in:] Hoddle, M. S. (ed.) Second International Symposium on Biological Control of Arthropods, Davos, Switzerland, September 12-16, 2005. USDA Forest Service Publication FHTET-2005-08. Vol. 1.
- Frank, J.H. 2007. Non-indigenous species: pests [p. 404-406 in:] Pimentel, D. (ed.) Encyclopedia of pest management volume II. Boca Raton, FL; CRC press.
- Frank, J.H. 2007. Biological control of some insect pests of turfgrasses [p. 281-297, in:] Pessarakli, M. (ed). Handbook of turfgrass management and physiology. Boca Raton, FL; CRC Press. 720 p.
- Frank, J.H. 2008. Bromeliad Fauna 1: 565-574; Dermatitis linearis 2: 1179-1180; Insectivorous Plants 2: 1995-2008; Ladybird Beetles (Coccinellidae: Coleoptera)<sup>1</sup> 3: 2120-2130; Mole Crickets (Orthoptera: Gryllotalpidae) and their Biological Control<sup>2</sup> 3: 2442-2449; Paederina 3: 2714-2715; *Paederus* Fabricius 3: 2715-2717; Pederin 3: 2776-2777; Winter Moth, *Operophtera brumata* (L) (Lepidoptera: Geometridae) and its Biological Control 4: 4276-4279. <sup>1</sup>J.H. Frank and R.F.Mizell; <sup>2</sup>J.H. Frank and N.C. Leppla. [in:] Capinera, J. L. (ed) Encyclopedia of Entomology. Dordrecht; Springer; 2<sup>nd</sup> edn., 4 vols.
- Frank, J.H. 2008. *Steinernema scapterisci* as a biological control agent of *Scapteriscus* mole crickets. Chap. 7, p. 115-131 In: A. Hajek, T. Glare, and M. O'Callaghan (eds). Use of microbes for control and eradication of invasive arthropods. [Progress in Biological Control vol. 6] Berlin; Springer.
- Frank, J.H., Van Driesche, R.G., Hoddle, M.S., McCoy, E.D. 2011. Biological control, of animals. p. 58-63 In: Simberloff, D., Rejmánek, M. (eds). Encyclopedia of biological invasions. Berkeley; Univ. California Press.
- 3. Refereed papers and notes in scientific journals** (volume no. is in **bold**, journal title or its abbreviation is underlined).
- Frank, J.H. 1967. A serological method used in the investigation of the predators of the pupal stage of the winter moth, *Operophtera brumata* (L.) (Hydriomenidae). Quaest. Ent. **3**: 95-105.
- Frank, J.H. 1967. The insect predators of the pupal stage of the winter moth, *Operophtera brumata* (L.) (Lepidoptera: Hydriomenidae). J. Anim. Ecol. **36**: 375-389.
- Frank, J.H. 1967. The effect of pupal predators on a population of winter moth, *Operophtera brumata* (L.) (Hydriomenidae). J. Anim. Ecol. **36**: 611-621.

- Frank, J. H. 1968. Notes on the biology of *Philonthus decorus* (Gr.) (Col., Staphylinidae). Entomologist's mon. Mag. **103**: 273-277.
- Frank, J.H. 1969. The larva and biology of *Quedius picipes* (Mann.) (Col., Staphylinidae). Entomologist's mon. Mag. **104**: 263-268.
- Frank, J.H. 1971. Carabidae (Coleoptera) of an arable field in central Alberta. Quaest. Ent. **7**: 237-252.
- Frank, J.H. 1971. Carabidae (Coleoptera) as predators of the red-backed cutworm in central Alberta. Canadian Ent. **103**: 1039-1044.
- Frank, J.H. 1972. The genus *Oligota* Mannerheim in the Caribbean region (Coleoptera: Staphylinidae). Coleopta Bull. **26**: 125-146.
- Frank, J.H. 1972. Host-parasite interrelations of West Indian canefly, *Saccharosydne saccharivora* (Westw.) (Hom., Delphacidae). Proc. int. Soc. Sug. Cane Technol. (14th Congr., 1971): 491-495.
- Frank, J.H. 1975. Precipitin technique. in Bottrell, D. G., Huffaker, C. B. (eds.) Proceedings, IPM workshop on evaluation of the role of predators in crop ecosystems, 24-25 February 1974, New Orleans. University of California, International Center for Biological Control. 32 p.
- Frank, J.H. 1975. A revision of the New World species of the genus *Erichsonius* Fauvel (Coleoptera: Staphylinidae). Coleopta Bull. **29**: 177-203.
- Frank, J.H. 1975. New records of *Oligota* Mannerheim (Staphylinidae) in Florida. Coleopta Bull. **29**: 279-280.
- Frank, J.H., Curtis, G.A., Evans, H.T. 1976. On the bionomics of bromeliad-inhabiting mosquitoes. I. Some factors influencing oviposition by *Wyeomyia vanduzeei*. Mosquito News **36**: 25-30.
- Frank, J.H. 1976. *Platystethus spiculus* Er. Staphylinidae in Florida. Coleopta Bull. **30**: 157-158.
- Frank, J.H. 1977. *Myrmecosaurus ferrugineus* Bruch, an Argentinian beetle from fire ant nests in the United States. Florida Ent. **60**: 31-36.
- Frank, J.H., Curtis, G.A., Evans, H.T. 1977. On the bionomics of bromeliad-inhabiting mosquitoes. II. The relationship of bromeliad size to the number of immature mosquitoes. *Wyeomyia vanduzeei* and *Wy. medioalbipes*. Mosquito News **37**: 180-192.

- Frank, J.H., Curtis, G.A. 1977. On the bionomics of bromeliad-inhabiting mosquitoes. III. The probable strategy of larval feeding in *Wyeomyia vanduzeei* and *Wy. medioalbipes*. Mosquito News **37**: 200-206.
- Frank, J.H., Curtis, G.A. 1977. On the bionomics of bromeliad-inhabiting mosquitoes. IV. Egg mortality of *Wyeomyia vanduzeei* caused by rainfall. Mosquito News **37**: 239-245.
- Frank, J.H., Curtis, G.A. 1977. On the bionomics of bromeliad-inhabiting mosquitoes. V. A mark-release-recapture technique for estimation of population size of *Wyeomyia vanduzeei*. Mosquito News **37**: 444-452.
- Frank, J.H., Curtis, G.A. 1977. On the bionomics of bromeliad-inhabiting mosquitoes. VII. Incidence and effect of *Pilospora fishi*, a parasite of *Wyeomyia vanduzeei*. Mosquito News **37**: 487-489.
- Frank, J.H., Curtis, G.A. 1979. Trend lines and the number of species of Staphylinidae. Coleopta Bull. **33**: 133-149.
- Frank, J.H. 1979. A new species of *Proteinus* Latreille (Coleoptera: Staphylinidae) from Florida. Florida Ent. **62**: 329-340.
- Frank, J.H. 1979. The use of the precipitin technique in predator-prey studies to 1975. Misc. Publ. ent. Soc. America **11** (4): 1-15.
- Frank, J.H. 1979. Larval morphology and the classification of *Staphylinus* (sensu lato) (Coleoptera: Staphylinidae). Entomologist's mon. Mag. **114**: 235-238.
- Frank, J.H. 1980. The neotropical *Oligota* Mannerheim (Col., Staphylinidae) described by David Sharp. Entomologist's mon. Mag. **115**: 251-254.
- Frank, J.H., Curtis, G.A., Dodd, G.D. 1981. Computers and the future for mosquito control. Proc. Florida Anti-Mosquito Assoc. **51**: 29-33.
- Frank, J.H., Dodd, G.D., Curtis, G.A. 1981. Integrated pest management. Proc. Florida Anti-Mosquito Assoc. **51**: 34-37.
- Frank, J.H. 1981. *Atheta coriaria* (Kraatz) (Aleocharinae) and *Sunius confluentus* (Say) (Paederinae) in Florida (Coleoptera, Staphylinidae). Coleopta Bull. **34**: 388.
- Frank, J.H., Thomas, M.C. 1981. Myrmedoniini (Coleoptera, Staphylinidae, Aleocharinae) associated with army ants (Hymenoptera, Formicidae, Ecitoninae) in Florida. Florida Ent. **64**: 138-146.
- Curtis, G.A., Frank, J.H. 1981. Establishment of *Aedes vexans* in citrus groves in southeastern Florida. Environ. Ent. **10**: 180-182.

- Frank, J.H. 1981. A review of teratology in Staphylinidae, with description of a teratological specimen of *Tachinus axillaris* Erichson (Coleoptera, Staphylinidae, Tachyporinae) from Florida. Florida Ent. **64**: 337-340.
- Frank, J.H., Curtis, G.A., Erdos, G.W., Ellis, E.A. 1981. On the bionomics of bromeliad-inhabiting mosquitoes. VIII. The flotation structure of *Wyeomyia vanduzeei* eggs (Diptera: Culicidae). J. med. Ent. **18**: 337-340.
- Frank, J.H. 1981. A new *Erichsonius* species from Arizona with discussion on phylogeny within the genus (Coleoptera: Staphylinidae). Coleopta Bull. **35**: 97-106.
- Frank, J.H., Thomas, M.C. 1981. *Oxytelus incisus* Motschulsky and *O. pennsylvanicus* Erichson (Coleoptera, Staphylinidae, Oxytelinae) in Florida. Florida Ent. **64**: 399-405.
- Frank, J.H., Curtis, G.A. 1981. On the bionomics of bromeliad-inhabiting mosquitoes. VI. A review of the bromeliad-inhabiting species. J. Florida Anti-Mosquito Assoc. **52**: 4-23.
- Frank, J.H. 1981. Recycling of discarded tires for control of *Aedes aegypti*. J. Florida Anti-Mosquito Assoc. **52**: 44-48.
- Frank, J.H., Curtis, G.A. 1982. Bionomics of the bromeliad-inhabiting mosquito *Wyeomyia vanduzeei* and its nursery plant *Tillandsia utriculata*. Florida Ent. **64**: 491-506.
- Frank, J.H. 1982. Standardizing oviposition traps for *Aedes aegypti* and *Culex quinquefasciatus*: time and medium. J. Florida Anti-Mosquito Assoc. **53**: 22-27.
- Frank, J.H., Thomas, M.C. 1984. Cocoon-spinning and the defensive function of the median gland in larvae of Aleocharinae (Coleoptera, Staphylinidae): a review. Quaest. ent. **20**: 7-23.
- Frank, J.H. 1984. New records of Philonthini from the circum-Caribbean region (Coleoptera, Staphylinidae). Florida Ent. **66**: 473-481.
- Frank, J.H., Curtis, G.A., O'Meara, G.F. 1984. On the bionomics of bromeliad-inhabiting mosquitoes X. *Toxorhynchites r. rutilus* as a predator of *Wyeomyia vanduzeei* (Diptera: Culicidae). J. med. Ent. **21**: 149-158.
- Frank, J.H., Thomas, M.C. 1984. A new species of *Proteinus* from a Jamaican cave (Coleoptera: Staphylinidae). Natn. speleo. Soc. Bull. **45**: 98-100.
- Frank, J.H., Thomas, M.C. 1984. *Cubanotyphlus largo*, a new species of Leptotyphlinae (Coleoptera, Staphylinidae) from Florida. Canadian Ent. **116**: 1411-1417.

- Frank, J.H., Thomas, M.C. 1984. *Heterota plumbea* and *Coenonica puncticollis* in Florida (Coleoptera: Staphylinidae). Florida Ent. **67**: 409-417.
- Frank, J.H., O'Meara, G.F. 1984. The bromeliad *Catopsis berteroniana* traps terrestrial arthropods but harbors *Wyeomyia* larvae. Florida Ent. **67**: 418-424.
- Frank, J.H. 1985. Use of an artificial bromeliad to show the importance of color value in restricting colonization of bromeliads by *Aedes aegypti* and *Culex quinquefasciatus*. J. American Mosquito Control Assoc. **1**: 28-32.
- Frank, J.H. 1985. *Cafius caribeanus* and *C. subtilis* in Florida and Venezuela (Coleoptera: Staphylinidae). Ent. News **96**: 61-62.
- Frank, J.H., O'Meara, G.F. 1985. Influence of micro- and macrohabitat on distribution of some bromeliad-inhabiting mosquitoes. Ent. exp. appl. **37**: 169-174.
- Frank, J.H. 1985. Associations of Scaritini and *Bledius* in the New World (Coleoptera: Carabidae and Staphylinidae). Florida Ent. **68**: 480-482.
- Frank, J.H., Lynn, H.C., Goff, J.M. 1985. Diurnal oviposition by *Wyeomyia mitchellii* and *W. vanduzeei* (Diptera: Culicidae). Florida Ent. **68**: 493-496.
- Frank, J.H. 1986. A preliminary checklist of the Staphylinidae (Coleoptera) of Florida. Florida Ent. **69**: 363-382.
- Frank, J.H., Carlysle, T.C., Rey, J.R. 1986. Biogeography of the seashore Staphylinidae *Cafius bistriatus* and *C. rufifrons* (Insecta: Coleoptera). Florida Scientist **49**: 148-161.
- Frank, J.H. 1986. Bromeliads as ovipositional sites for *Wyeomyia* mosquitoes: form and color influence behavior. Florida Ent. **69**: 728-742.
- Frank, J.H., Lounibos, L.P. 1987. Phytotelmata: swamps or islands? Florida Ent. **70**: 14-20.
- Frank, J.H., Kanamitsu, K. 1987. *Paederus*, sensu lato (Coleoptera: Staphylinidae): natural history and medical importance. J. med. Ent. **24**: 155-191.
- Frank, J.H., Habeck, D.H., Peck, S.B. 1987. The distribution of *Brathinus nitidus* (Coleoptera: Staphylinidae) and a new key to the North American species. Coleopta Bull. **41**: 137-140.
- Lounibos, L.P., Frank, J.H., Machado-Allison, C.E., Navarro, J.C., Ocanto, P. 1987. Seasonality, abundance and invertebrate associates of *Leptagrion siqueirai* Santos



- in *Aechmea* bromeliads in Venezuelan rain forest (Zygoptera: Coenagrionidae). Odonatologica **16**: 193-199.
- Lounibos, L.P., Frank, J.H., Machado-Allison, C.E., Ocanto, P., Navarro, J.C. 1987. Survival, development and predatory effects of mosquito larvae in Venezuelan phytotelmata. J. Trop. Ecol. **3**: 221-242.
- Frank, J.H., Woodruff, R.E., Nuñez, C.A. 1987. *Scapteriscus didactylus* (Orthoptera: Gryllotalpidae) in the Dominican Republic. Florida Ent. **70**: 478-483.
- Frank, J.H., Stewart, J.P., Watson, D.A. 1988. Mosquito larvae in axils of the imported bromeliad *Billbergia pyramidalis* in southern Florida. Florida Ent. **71**: 33-43.
- Frank, J.H. 1988. *Paederus*, sensu lato (Coleoptera: Staphylinidae): an index and review of the taxa. Insecta Mundi **2**: 97-159.
- Hudson, W.G., Frank, J.H., Castner, J.L. 1988. Biological control of *Scapteriscus* spp. mole crickets (Orthoptera: Gryllotalpidae) in Florida. Bull. ent. Soc. America **34**: 192-198
- Frank, J.H., McCoy, E.D. 1989. Behavioral ecology: from fabulous past to chaotic future. Florida Ent. **72**: 1-6.
- Gettman, A.D., Frank, J.H. 1989. A method to reduce *Wyeomyia mitchellii* eggs in *Billbergia pyramidalis* bromeliads. J. Florida Anti-Mosquito Assoc. **60**: 7-8.
- Frank, J.H., Klimaszewski, J., Peck, S.B. 1989. *Leptagria perexilis* and *Myllaena audax* (Coleoptera: Staphylinidae) in Florida. Florida Ent. **72**: 717-718.
- Frank, J.H., McCoy, E.D. 1990. Endemics and epidemics of shibboleths and other things causing chaos. Florida Ent. **73**: 1-9.
- Klimaszewski, J., Frank, J.H., Peck, S.B. 1990. Two new species and a key to the adults of *Aleochara* of Florida (Coleoptera: Staphylinidae). Florida Ent. **73**: 177-185.
- Frank, J.H., McCoy, E.D. 1991. Medieval insect behavioral ecology, and chaos. Florida Ent. **74**: 1-9.
- Nadel, H., Frank, J.H., Knight, R.J. 1992. Escapees and accomplices: The naturalization of exotic *Ficus* and their associated faunas in Florida. Florida Ent. **75**: 29-38.
- Parkman, J.P., Frank, J.H. 1992. Infection of sound-trapped mole crickets, *Scapteriscus* spp., by *Steinernema scapterisci*. Florida Ent. **75**: 163-165.

- Klimaszewski, J., Frank, J.H. 1992. New distributional data for New World Gymnusini and Deinopsini, with description of a new species (Coleoptera: Staphylinidae, Aleocharinae). Supplement 5. Coleopta Bull. **46**: 242-249.
- Klimaszewski, J., Frank, J.H. 1992. New distributional data for nearctic *Aleochara* Gravenhorst (Coleoptera: Staphylinidae). Coleopta Bull. **46**: 281-285.
- Frank, J.H., McCoy, E.D. 1992. The immigration of insects to Florida, with a tabulation of records published since 1970. Florida Ent. **75**: 1-28.
- Frank, J.H., Bennett, F.D., Cromroy, H.L. 1992. Distribution and prey records for *Oligota minuta* (Coleoptera: Staphylinidae), a predator of mites. Florida Ent. **75**: 376-380.
- Klimaszewski, J., Frank, J.H. 1992. New distributional data for nearctic *Myllaena* Erichson (Coleoptera: Staphylinidae). Supplement 2. Coleopta Bull. **46**: 397-402.
- Parkman, J.P., Hudson, W.G., Frank, J.H., Nguyen, K.B., Smart, G.C. 1993. Establishment and persistence of *Steinernema scapterisci* (Rhabditida: Steinernematidae) in field populations of *Scapteriscus* mole crickets (Orthoptera: Gryllotalpidae). J. Ent. Sci. **28**: 182-190.
- Frank, J.H., McCoy, E.D. 1993. The introduction of insects into Florida. Florida Ent. **76**: 1-53.
- Parkman, J.P., Frank, J.H. 1993. Use of a sound trap to inoculate *Steinernema scapterisci* (Rhabditida: Steinernematidae) into pest mole cricket populations (Orthoptera: Gryllotalpidae). Florida Ent. **76**: 75-82.
- Coler, R.R., Boucias, D.G., Frank, J.H., Maruniak, J.E., Garcia-Canedo, A., Pendland, J.C. 1993. Characterization and description of a virus causing salivary gland hyperplasia in the housefly, *Musca domestica* (Diptera: Muscidae). Med. Vet. Ent. **7**: 275-282.
- Parkman, J.P., Frank, J.H., Nguyen, K.B., Smart, G.C. 1993. Dispersal of *Steinernema scapterisci* (Rhabditida: Steinernematidae) after inoculative applications for mole cricket (Orthoptera: Gryllotalpidae) control in pastures. Biol. Control **3**: 226-232.
- Cheng, L., Frank, J.H. 1993. Marine insects and their reproduction. Oceanogr. Mar. Biol. Annu. Rev. **31**: 479-506.
- Frank, J.H., McCoy, E.D. 1994. Commercial importation into Florida of invertebrate animals as biological control agents. Florida Ent. **77**: 1-20.

- Frank, J.H., Thomas, M.C. 1994. *Metamasius callizona* (Chevrolat) (Coleoptera: Curculionidae), an immigrant pest, destroys bromeliads in Florida. Canadian Ent. **126**: 673-682.
- Parkman, J.P., Frank, J.H., Nguyen, K.B., Smart, G.C. 1994. Inoculative release of *Steinernema scapterisci* (Rhabditida: Steinernematidae) to suppress pest mole crickets on golf courses. Environ. Ent. **23**: 1331-1337.
- Frank, J.H., McCoy, E.D. 1995. Invasive adventive insects and other organisms in Florida. Florida Ent. **78**: 1-15.
- Frank, J.H., McCoy, E.D. 1995. Precinctive insect species in Florida. Florida Ent. **78**: 21-35.
- Center, T.D., Frank, J.H., Dray, F.A. 1995. Biological invasions: Stemming the tide in Florida. Florida Ent. **78**: 45-55.
- Hu, G.-Y., Frank, J.H. 1995. New distributional records for *Platystethus* (Coleoptera: Staphylinidae: Oxytelinae), with notes on the biology of *P. americanus*. Florida Ent. **78**: 137-144.
- Giblin-Davis, R.M., Center, B.J., Nadel, H., Frank, J.H., Ramírez B., W. 1995. Nematodes associated with fig wasps, *Pegoscapus* spp. (Agaonidae), and syconia of native Floridian figs (*Ficus* spp.). J. Nematol. **27**: 1-14.
- Hu, G.-Y., Frank, J.H. 1995. Biology of *Neohypnus pusillus* (Sachse) and its predation on immature horn flies in the laboratory. Coleopt. Bull. **49**: 43-52.
- Hu, G.-Y., Frank, J.H. 1995. Structural comparison of the chorion surface of five *Philonthus* species (Coleoptera: Staphylinidae). Proc. Ent. Soc. Washington **97**: 582-589.
- Austin, M.T., Williams, M.J., Hammond, A.C., Frank, J.H., Chambliss, C.G. 1995. Establishment, forage production, and nutritive value of *Leucaena* in central Florida. Agronomy J. **87**: 915-920.
- Frank, J.H., Parkman, J.P., Bennett, F.D. 1995. *Larra bicolor* (Hymenoptera: Sphecidae), a biological control agent of *Scapteriscus* mole crickets (Orthoptera: Gryllotalpidae), established in northern Florida. Florida Ent. **78**: 619-623.
- Frank, J.H., Walker, T.J., Parkman, J.P. 1996. The introduction, establishment and spread of *Ormia depleta* in Florida. Biol. Control **6**: 368-377.
- Walker, T.J., Parkman, J.P., Frank, J.H., Schuster, D.J. 1996. Seasonality of *Ormia depleta* and limits to its spread. Biol. Control **6**: 378-383.

- Parkman, J.P., Frank, J.H. 1996. Effects of fenoxycarb on reproduction of the shortwinged mole cricket, *Scapteriscus abbreviatus* (Orthoptera: Gryllotalpidae). J. Agric. Ent. **13**: 87-91.
- Austin, M.T., Williams, M.J., Hammond, A.C., Frank, J.H., Chambliss, C.G. 1996. Psyllid population dynamics and plant resistance of *Leucaena* selections in Florida. Tropical Grasslands **30**: 223-228.
- Frank, J.H., Keularts, J.L.W. 1996. *Scapteriscus abbreviatus* (Orthoptera: Gryllotalpidae), a minor pest on St. Croix, US Virgin Islands. Florida Ent. **79**: 468-470.
- Parkman, J.P., Frank, J.H., Walker, T.J., Schuster, D.J. 1996. Classical biological control of *Scapteriscus* spp. (Orthoptera: Gryllotalpidae) in Florida. Environ. Ent. **25**: 1415-1420.
- Hu, G.-Y., Frank, J.H. 1996. Effect of the red imported fire ant (Hymenoptera: Formicidae) on dung-inhabiting arthropods in Florida. Environ. Ent. **25**: 1290-1296.
- Hu, G.-Y., Frank, J.H. 1996. Effect of the arthropod community on survivorship of immature horn flies, *Haematobia irritans* (Diptera: Muscidae), in north-central Florida. Florida Ent. **79**: 497-503.
- Frank, J.H., Thomas, M.C. 1997. A new species of *Charoxus* (Coleoptera: Staphylinidae) from native figs (*Ficus* spp.) in Florida. J. New York Ent. Soc. **104**: 70-78.
- Hu, G.-Y., Frank, J.H. 1998. Predation on the horn fly (Diptera: Muscidae) by five species of *Philonthus* (Coleoptera: Staphylinidae). Environ. Ent. **26**: 1240-1246.
- Parkman, J.P., Frank, J.H. 1998. Development and reproduction of mole crickets (Orthoptera: Gryllotalpidae) after treatments with hydroprene and pyriproxyfen. J. Econ. Ent. **91**: 392-397.
- Frank, J.H. 1998. How risky is biological control? Comment. Ecology **79**: 1829-1834.
- Meagher, R.L., Frank, J.H. 1998. *Larra bicolor* (Hymenoptera: Sphecidae: Larrinae) collected in pheromone- and phenylacetaldehyde-baited traps. Florida Ent. **81**: 555-556.
- Frank, J.H., Parkman, J.P. 1999. Integrated pest management of pest mole crickets with emphasis on the southeastern USA. Integrated Pest Management Reviews **4**: 39-52.
- Frank, J.H. 1999. Bromeliad-eating weevils. Selbyana **20**: 40-48.

- Salas, J., Frank, J.H. 2001. Development of *Metamasius callizona* (Coleoptera: Curculionidae) on pineapple stems. Florida Ent. **84**: 123-126.
- Parkman, J.P., Frank, J.H. 2002. Interactions between *Ormia depleta* (Diptera: Tachinidae) and *Steinernema scapterisci* (Nematoda: Steinernematidae), natural enemies of pest mole crickets (Orthoptera: Gryllotalpidae). Environ. Ent. **31**: 1226-1230.
- Frank, J.H., Woodruff, R.E., Thomas, M.C. 2002. Mole crickets (Orthoptera: Gryllotalpidae) in Grenada, West Indies. Entomotropica **17**: 207-212.
- Sidoti, B.J., Frank, J.H. 2002. The effect of size of host plant (*Tillandsia utriculata*) on development of *Metamasius callizona* (Dryophthoridae). Selbyana **23**: 220-223.
- Wineriter, S.A., Buckingham, G.R., Frank, J.H. 2003. Host range of *Boreioglycaspis melaleucae* Moore (Hemiptera: Psyllidae), a potential biocontrol agent of *Melaleuca quinquenervia* (Cav.) S.T. Blake (Myrtaceae), under quarantine. Biol. Control **27**: 273-292.
- Adjei, M.B., Frank, J.H., Gardner, C.S. 2003. Survey of pest mole crickets (Orthoptera: Gryllotalpidae) activity on pastures in south-central Florida. Florida Ent. **86**: 199-205.
- Frank, J.H., Walker, T.J. 2003. Mole crickets (Orthoptera: Gryllotalpidae) in Jamaica. Florida Ent. **86**: 484-485.
- Frank, J.H. 2004. *Belonuchus agilis*, a fourth species of this genus (Coleoptera: Staphylinidae) reported from Florida. Florida Ent. **87**: 92-93.
- Frank, J.H., Stansly, P.A. 2004. *Eumicrota* and *Phanerota* (Coleoptera: Staphylinidae: Aleocharinae) attacking cultivated mushrooms in Florida. Florida Ent. **87**: 237-240.
- Frank, J.H., Sreenivasan, S., Benschhoff, P.J., Deyrup, M.A., Edwards, G.B., Halbert, S.E., Hamon, A.B., Lowman, M.D., Mockford, E.L., Scheffrahn, R.H., Steck, G.J., Thomas, M.C., Walker, T.J., Welbourn, W.C. 2004. Invertebrate animals extracted from native *Tillandsia* (Bromeliales: Bromeliaceae) in Sarasota County, Florida. Florida Ent. **87**:176-185.
- Arévalo, H.A., Frank, J.H. 2005. Nectar sources for *Larra bicolor* (Hymenoptera: Sphecidae), a parasitoid of *Scapteriscus* mole crickets (Orthoptera: Gryllotalpidae), in northern Florida. Florida Ent. **88**: 146-151.
- Leppla, N.C., Frank, J.H., Vicente, N., Pantoja, A. 2005. A commercial nematode for mole cricket control. Proc. Caribbean Food Crops Soc. **40**: 249-254.

- Frank, J.H., Foltz, J.L., Almquist, D.T. 2005. The female of *Oxybleptes meridionalis* (Coleoptera: Staphylinidae: Staphylininae) and range extension for *Oxybleptes*. Florida Ent. **88**: 199-200.
- Weed, A.S., Frank, J.H. 2005. Oviposition behavior of *Pheropsophus aequinoctialis* L. (Coleoptera: Carabidae): a natural enemy of *Scapteriscus* mole crickets (Orthoptera: Gryllotalpidae). J. Insect Behavior **18**: 707-723.
- Frank, J.H., Cooper, T.M., Larson, B.C. 2006. *Metamasius callizona* (Coleoptera: Dryophthoridae): longevity and fecundity in the laboratory. Florida Ent. **89**: 208-211.
- Suazo, A., Arismendi, N., Frank, J.H., Cave, R.D. 2006. Method for continuously rearing *Lixadmontia franki* (Diptera: Tachinidae), a potential biological control agent of *Metamasius callizona* (Coleoptera: Dryophthoridae). Florida Ent. **89**: 348-353.
- Frank, J.H., Walker, T.J. 2006. Permanent control of pest mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus*) in Florida. American Ent. **52**: 138-144.
- Suazo, A., Pú Pacheco, D., Cave, R.D., Frank, J.H. 2006. Fecundity and longevity of *Metamasius quadrilineatus* (Coleoptera: Dryophthoridae) on a natural bromeliad host in the laboratory. Coleopta Bull. **60**: 264-270.
- Adjei, M.B., Smart jr., G.C., Frank, J.H., Leppla, N.C. 2006. Control of pest mole crickets (Orthoptera: Gryllotalpidae) on pasture with the nematode *Steinernema scapterisci* (Rhabditida: Steinernematidae). Florida Ent. **89**: 532-535.
- Eisner, T., Aneshansley, D., del Campo, M.L., Eisner, M., Frank, J.H., Deyrup, M. 2006. Effect of bombardier beetle spray on a wolf spider: repellency and leg autotomy. Chemoecology **16**: 185-189.
- Frank, J.H., McCoy, E.D. 2007. The risk of classical biological control in Florida. Biol. Control **41**: 151-174.
- Leppla, N.C., Frank, J.H., Adjei, M.B., Vicente, N.E. 2007. Management of pest mole crickets in Florida and Puerto Rico with a nematode and parasitic wasp. Florida Ent. **90**: 229-233.
- Frank, J.H., Vicente, N.E., Leppla, N.C. 2007. A history of mole crickets (Orthoptera: Gryllotalpidae) in Puerto Rico. Insecta Mundi (2007) **0004**: 1-10.
- Vicente, N.E., Frank, J.H., Leppla, N.C. 2007. Use of a beneficial nematode against pest mole crickets in Puerto Rico. Proc. Caribbean Food Crops Soc. **42**(2): 180-186.

- Frank, J.H., Fish, D. 2008. Potential biodiversity loss in Florida bromeliad phytotelmata due to *Metamasius callizona* (Coleoptera: Dryophthoridae), an invasive species. Florida Ent. **91**: 1-8.
- Emmert, C.J., Mizell III, R.F., Andersen, P.C., Frank, J.H., Stimac, J.L. 2008. Effects of contrasting diets and temperatures on reproduction and prey consumption by *Proprioseiopsis asetus* (Acari: Phytoseiidae). Exp. Appl. Acarol. **44**: 11-26.
- Suazo, A., Cave, R.D., Frank, J.H. 2008. Reproductive biology and development of *Lixadmontia franki* (Diptera: Tachinidae), a parasitoid of bromeliad-eating weevils. Florida Ent. **91**: 453-459.
- Emmert, C.J., Mizell III, R.F., Andersen, C., Frank, J.H., Stimac, J.L. 2008. Diet effects on intrinsic rate of increase and rearing of *Proprioseiopsis asetus* Muma (Acari: Phytoseiidae). Ann. Ent. Soc. Am. **104**: 1033-1040.
- Frank, J.H., Leppla, N.C., Sprenkel, R.K., Blount, A.C., Mizell III, R.F. 2009. *Larra bicolor* Fabricius (Hymenoptera: Crabronidae): its distribution throughout Florida. Insecta Mundi (2009) **0063**: 1-5.
- Frank, J.H., Lounibos, L.P. 2009. Insects and allies associated with bromeliads: a review. Terrestrial Arthropod Reviews **1** (2008): 125-153.
- Portman, S.L., Frank, J.H., McSorley, R., Leppla, N.C. 2009. Fecundity of *Larra bicolor* (Hymenoptera: Crabronidae) and its implications in parasitoid: host interaction with mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus*). Florida Ent. **92**: 58-63.
- Frank, J.H., Erwin, T.L., Hemenway, R.C. 2009. Economically beneficial ground beetles. The specialized predators *Pheropsophus aequinoctialis* (L.) and *Stenaptinus jessoensis* (Morawitz): Their laboratory behavior and descriptions of immature stages (Coleoptera, Carabidae, Brachininae). ZooKeys **14**: 1-36.
- Stanley, J.D., Brito, J.A., Kokalis-Burelle, N., Frank, J.H., Dickson, D.W. 2009. Biological evaluation and comparison of four Florida isolates of *Meloidogyne floridensis*. Nematropica **39**: 255-271.
- McCoy, E.D., Frank, J.H. 2010. How should the risk associated with the introduction of biological control agents be estimated? Agric. Forest Ent. **12**: 1-8.
- Frank, J.H., Barrera R. 2010. Natural history of *Belonuchus Nordmann* spp. (Coleoptera: Staphylinidae) associated with *Heliconia* L. (Zingiberales: Heliconiaceae) flower bracts. Insecta Mundi (2010) **0110**: 1-12.
- Carrillo, D., Peña, J.E., Hoy, M.A., Frank, J.H. 2010. Development and reproduction of *Amblyseius largoensis* (Acari: Phytoseiidae) feeding on pollen, *Raoiella indica* (Acari: Tenuipalpidae), and other microarthropods inhabiting coconuts in Florida,

- USA. Exp. Appl. Acarol. **52**: 119-129.
- Portman, S.L., Frank, J.H., McSorley, R., Leppla, N.C. 2010. Nectar-seeking and host-seeking by *Larra bicolor* (Hymenoptera: Crabronidae), a parasitoid of *Scapteriscus* mole crickets (Orthoptera: Gryllotalpidae). Environ. Ent. **39**: 939-943.
- Van Driesche, R.G., Carruthers, R.I., Center, T., Hoddle, M.S., Hough-Goldstein, J., Morin, L., Smith, L., Wagner, D.G., Blossey, B., Brancatini, V., Casagrande, R., Causton, C.E., Coetzee, J.A., Cuda, J., Ding, J., Fowler, S.V., Frank, J.H., Fuester, R., Goolsby, J., Grodowitz, M., Heard, T.A., Hill, M.P., Hoffmann, J.H., Huber, J., Julien, M., Kairo, M.T.K., Kenis, M., Mason, P., Medal, J., Messing, R., Miller, R., Moore, A., Neuenschwander, P., Newman, R., Norambuena, H., Palmer, W.A., Pemberton, R., Perez Panduro, A., Pratt, P.D., Ramini, S., Rayamajhi, M., Salom, S., Sands, D., Schooler, S., Sheppard, A., Shaw, R., Schwarzländer, M., Tipping, P.W., van Klinken, R. D. 2010. Classical biological control for the protection of natural ecosystems. Biol. Control **54**: S2-S33.
- Frank, J.H., Klimaszewski, J., Chandler, D.S. 2011. Additions to the Staphylinidae (Coleoptera) of the Cayman Islands. Insecta Mundi (2011) **0185**: 1-10.
- Frank, J.H., Ahn, K.-J. 2011. Coastal Staphylinidae (Coleoptera): A worldwide checklist, biogeography and natural history. ZooKeys **107**: 1–98.
- Ahn, K.-J., Frank, J.H. 2011. *Cafius bistriatus* (Coleoptera: Staphylinidae), distributional range extension in North Carolina. Florida Ent. **94**: 709-710.
- Cooper, T.M., Frank, J.H., Cave, R.D., Burton, M.S., Dawson, J.S., Smith, B.W. 2011. Release and monitoring of a potential biological control agent, *Lixadmontia franki*, to control an invasive bromeliad-eating weevil, *Metamasius callizona*, in Florida. Biol. Control **59**: 319-325.
- Frank, J.H., Nadel, H. 2012. Life cycle and behaviour of *Charoxus spinifer* and *Charoxus major* (Coleoptera: Staphylinidae: Aleocharinae), predators of fig wasps (Hymenoptera: Agaonidae). J. Nat. Hist. **46**: 621-635.
- Carrillo, D., Frank, J.H., Rodrigues, J.C.V., Peña, J.E. 2012. A review of the natural enemies of the red palm mite, *Raoiella indica* (Acari: Tenuipalpidae). Experimental and Applied Acarology **57**: 347-360.
- Frank, J. H. 2012. *Neoxantholinus cristatus* (Coleoptera: Staphylinidae) is reported from the Cayman Islands. Insecta Mundi (2012) **0242**: 1-2.
- Frank, J.H., Morón, M.A., 2012 Natural history of four species of *Platydracus* Thomson (Coleoptera: Staphylinidae) in *Heliconia bourgaeana* Petersen (Zingiberales: Heliconiaceae) flower bracts. Insecta Mundi (2012) **0258**: 1-12.



- Cooper, T.M., Frank, J.H., Cave, R.D. 2014. Loss of phytotelmata due to an invasive bromeliad-eating weevil and its potential effects on faunal diversity and biogeochemical cycles. Acta Oecologica **54**: 51-56.
- Frank, J.H., McCoy, E.D. 2014. Zoogeography of mole crickets (Orthoptera: Gryllotalpidae) in the West Indies. Insecta Mundi (2014) **0331**: 1-14.
- Frank, J.H., Kelly, S.L., Almquist, D.A. 2014. Notes on *Diachus* Erichson, *Lissohynus* Casey, and *Oxybleptes* Smetana (Coleoptera: Staphylinidae) in Florida, including a description of a new species of *Lissohynus*. Insecta Mundi (2014) **0382** 1-8.
- Cooper, T.M., Frank, J.H. 2014. Description of the larval instars of *Lixadmontia franki* (Diptera: Tachinidae). Florida Ent. **97**: 1002-1014.

#### **4. Abstracts in symposia, congresses, and other meetings.**

- Frank, J.H. 1973. [abstract] Predation: a mortality factor of black salt marsh mosquito eggs. Proc. Florida Anti-Mosquito Assoc. **44**: 75.
- Frank, J.H. 1974. [abstract] Mosquitoes and air plants. Proc. Florida Anti-Mosquito Assoc. **45**: 21.
- Frank, J. H. 1975. [abstract] Life tables and their relevance to mosquito studies. Proc. Florida Anti-Mosquito Assoc. **46**: 21.
- Frank, J.H., Curtis, G.A. 1980. Regulation of bromeliad-inhabiting mosquito populations in Florida. Abstracts, XVI int. Congr. Ent. (Kyoto, 1980): 122.
- Frank, J.H., Curtis, G.A., O'Meara, G.F. 1981. Larvas de *Toxorhynchites rutilus* como depredadores de *Wyeomyia vanduzeei* en bromeliaceas. Actas, 4to Congr. Latinamer. Ent. (Maracay, 1981): E2-E3.
- Machado-Allison, C.E., Frank, J.H., Lounibos, L.P. 1984. Predation by *Toxorhynchites* larvae (Culicidae) in Venezuelan phytotelmata. Abstracts, XVII int. Congr. Ent. (Hamburg, 1984): 286.
- Frank, J.H. 1988. Population dynamics of bromeliad-inhabiting aquatic stages of *Wyeomyia vanduzeei* (Diptera: Culicidae). Abstracts, XVIII int. Congr. Ent. (Vancouver, 1988): 171.
- Giblin-Davis, R.M., Nadel, H., Frank, J.H. 1992. New species of *Schistonchus* and *Parasitodiplogaster* parasitizing the fig wasp *Pegoscapus assuetus* in the syconia of *Ficus citrifolia*. J. Nematol. **24**: 592.

- Frank, J.H. 1993. South American mole crickets (Orthoptera: Gryllotalpidae) in North America illustrate the principles of biological control. Resúmenes V Congr. Latinoamer. Ent. (Porlamar, Venezuela, 1993): 247.
- Pereira, R.M., Frank, J.H., Parkman, J.P. 1993. Evaluation of fungal pathogens as biopesticides for mole crickets. 26th Annu. Mtg., Soc. Invertebr. Pathol. (Asheville, NC) Abstracts: 95.
- Frank, J.H., Morón R., M.A. 1996. Fauna de *Heliconia bourgaeana*. Memorias VI Congr. Latinoamer. Ent. (Mérida, Mexico, 1996): 38-39.
- Frank, J.H., Larson Vasquez, B., Thomas, M.C., Cave, R.D. 2000. Protection of Florida's native bromeliads by biocontrol of *Metamasius callizona* (a Mexican weevil). Greater Everglades Ecosystem Restoration (G.E.E.R.) Science Conference (Naples, FL, 2000): 210-212.
- Frank, J.H. 2001. Staphylinidae in saline habitats. Annu. Mtg., Ent. Soc. Am., San Diego, CA. ([http://esa.confex.com/esa/2001/techprogram/paper\\_505.htm](http://esa.confex.com/esa/2001/techprogram/paper_505.htm))
- Frank, J.H., McCoy, E.D. 2002. Biological control: Risk assessment and Florida's record. Annu. Mtg., Ent. Soc. Am., Ft. Lauderdale, FL. ([http://esa.confex.com/esa/2002/techprogram/paper\\_5048.htm](http://esa.confex.com/esa/2002/techprogram/paper_5048.htm))
- Frank, J.H. 2004. Biological control of pest mole crickets in Florida, USA. Abstracts, XXII int. Congr. Ent., Brisbane, Australia, August 2004. Abstracts CD, with programme.
- Frank, J.H., Leppla, N.C. 2005. Deployment and use of *Larra bicolor* (Hymenoptera: Sphecidae) to control pest mole crickets (Orthoptera: Gryllotalpidae: *Scapteriscus* spp.). Annu. mtg., Ent. Soc. Am., Ft Lauderdale, FL ([http://esa.confex.com/esa/2005/techprogram/paper\\_22647.htm](http://esa.confex.com/esa/2005/techprogram/paper_22647.htm))
- Frank, J.H. 2007. Control biológico permanente de grillotopos suramericanos en Florida (EUA). Resúmenes, XXXIV Congreso de Entomología, Sociedad Colombiana de Entomología, Cartagena, Colombia, July 2007: 67.
- Frank, J.H. 2010. An abundance of mole crickets. IX European Congress of Entomology, Budapest, 22-27 August 2010, Programme and Book of Abstracts: 154-155.
- Cooper, T.M., Cave, R.D., Frank, J.H. 2010. Bromeliad-eating weevils as pests of bromeliads. Potential Invasive Pests Workshop, Coral Gables, FL, 11-14 October 2010. Abstracts: 16.
- Frank, J.H. 2011. Biological control of pest mole crickets in Florida. Annual meeting of the Royal Entomological Society (ento'11), Medway, Kent, England, 7-9

September 2011. Program and Abstracts: 25-26 (and <http://w3.gre.ac.uk/~hd18/ento11/abs/nat/frank.pdf> ).

Cooper, T.M., Frank, J.H., Cave, R.D. 2011. Loss of bromeliad-contained waters in the Enchanted Forest Sanctuary (Florida, USA) due to an invasive bromeliad-eating weevil and the impact on forest ecosystems. Biolief 2011, Grupo de Investigación y Educación en Temas Ambientales, 21-24 November 2011, Mar del Plata, Argentina. [poster] Program and Abstracts: 49-50.

Cooper, T.M., Frank, J.H., Cave, R.D. 2012. The invasive species *Metamasius callizona* (Mexican bromeliad weevil): Problems and prospects. TSTAR Invasive Species Symposium, Caribbean Food Crops Society Annual Meeting, 20-25 May 2012, Playa del Carmen, Mexico. Program and Abstracts: 41-42.

Frank, J.H., Leppla, N.C. 2012. IPM of pest mole crickets. Florida Entomological Society annual meeting, Jupiter Beach (abstract online at <http://flaentsoc.org/2012annmeetabstracts.pdf> see p. 17)

Frank, J.H., Ahn, K.J. 2012. Zoogeography of coastal marine Staphylinidae (Coleoptera). International Congress of Entomology, Daegu, South Korea. (abstract online).

## 5. Book reviews in scientific journals.

Frank, J.H. 1981. BOOK REVIEW: An illustrated guide to the genera of the Staphylinidae of America north of Mexico exclusive of the Aleocharinae (Coleoptera) by Ian Moore and E.F. Legner. 1979. Coleopta Bull. **34**: 239-240.

Frank, J.H. 1991. BOOK REVIEW: Rutz, D. A., Patterson, R. S. (eds.) 1990. Biocontrol of arthropods affecting livestock and poultry. Florida Ent. **74**: 167-168.

Frank, J.H. 1991. BOOK REVIEW: Jamaica Naturalist. Florida Ent. **74**: 383.

Frank, J.H. 1991. BOOK REVIEW: Evans, D. L., Schmidt, J. O. (eds.) 1990. Insect Defenses. BioScience **41**(10): 726-727.

Frank, J.H. 1992. BOOK REVIEW: DeBach, P., Rosen, D. 1991. Biological Control by Natural Enemies. 2nd edn. Florida Ent. **75**: 166-167.

Frank, J.H. 1992. BOOK REVIEW: Eu, G. (ed.) 1992. Amazon Wildlife. Florida Ent. **75**: 290-291.

Frank, J.H. 1992. BOOK REVIEW: Gorham, J. R. (ed.) 1991. Insect and mite pests of food. An illustrated key. Florida Ent. **75**: 394-395.

- Frank, J.H. 1992. BOOK REVIEW: Hill, D. S. 1987. Agricultural insect pests of temperate regions and their control. Florida Ent. **75**: 395-396.
- Frank, J.H. 1993. BOOK REVIEW: Knippling, E. F. 1992. Principles of insect parasitism analyzed from new perspectives. Florida Ent. **76**: 187-188.
- Frank, J.H. 1993. BOOK REVIEW: Poinar, G. O. 1992. Life in amber. Florida Ent. **76**: 184-185.
- Frank, J.H. 1993. BOOK REVIEW: Hoffman, M. P., Frodsham, A. C. 1993. Natural enemies of vegetable insect pests. Florida Ent. **76**: 531-532.
- Frank, J.H. 1993. BOOK REVIEW: Kim, K. C., McPherson, B. A. (eds.). 1993. Evolution of insect pests. Patterns of variation. Florida Ent. **76**: 532-534.
- Frank, J.H. 1993. BOOK REVIEW: Smith, J. W., Wiedenmann, R. N., Overholt, W. A. Parasites of lepidopteran stemborers of tropical gramineous plants. Florida Ent. **76**: 652-653.
- Frank, J.H. 1993. BOOK REVIEW: Boletín del Museo de Entomología de la Universidad del Valle. Florida Ent. **76**: 653-654.
- Frank, J.H. 1994. BOOK REVIEW: Morón, M. A. (ed.) 1993. Diversidad y manejo de plagas subterráneas. Florida Ent. **77**: 192.
- Frank, J.H. 1995. BOOK REVIEW: Deyrup, M., Franz, R. (eds.) 1994. Rare and endangered biota of Florida. Vol. IV. Invertebrates. Florida Ent. **78**: 380-381.
- Frank, J.H. 1996. BOOK REVIEW: Smetana, A. 1995. Rove beetles of the subtribe Philonthina of America north of Mexico. Florida Ent. **79**: 81-82.
- Frank, J.H. 1996. BOOK REVIEW: Downie, N. M., Arnett, R. H. The beetles of northeastern North America. Florida Ent. **79**: 471-473.
- Frank, J.H. 1997. BOOK REVIEW: O'Keefe, S. T. 1996. Revision of the Nearctic genus *Lophoderus*. Florida Ent. **80**: 99.
- Frank, J.H. 1997. BOOK REVIEW: Jervis, M. A., Kidd, N. A. C. 1996. Insect natural enemies. Practical approaches to their study and evaluation. Florida Ent. **80**: 310-311.
- Frank, J.H. 1997. BOOK REVIEW: Morón, M.A., B.C. Ratcliffe, and C. Deloya. 1997. Atlas de los escarabajos de Mexico. Coleoptera: Lamellicornia. Vol. 1. Familia Melolonthidae. Florida Ent. **80**: 412-413.

- Frank, J.H. 1997. BOOK REVIEW: Deloya Lopez, A.C. (ed). 1997. La Sociedad Mexicana de Entomología: pasado, presente y futuro. Florida Ent. **80**: 493.
- Frank, J.H. 1998. BOOK REVIEW: Kuznetsov, V.N. 1997. Ladybeetles of the Russian Far East. Florida Ent. **81**: 126-127.
- Frank, J.H. 1998. BOOK REVIEW: Woodruff, R.E., Beck, B.M., Skelley, P.E., Schotman, C.Y.L., Thomas, M.C. 1998. Checklist and bibliography of the insects of Grenada and the Grenadines. Florida Ent. **81**: 467-468.
- Frank, J.H. 1998. BOOK REVIEW: Potter, D.A. 1998. Destructive Turfgrass Insects. Biology, Diagnosis, and Control. Florida Ent. **81**: 466-467.
- Frank, J.H. 1999. RECENSION DE LIBRO. Deloya López, A.C., Valenzuela, J.E. (eds.) 1999. Catálogo de insectos y ácaros plaga de los cultivos agrícolas de México. Sociedad Mexicana de Entomología, Publicaciones Especiales no. 1. Folia Entomológica Mexicana **102**: 82.
- Frank, J.H. 1999. BOOK REVIEW: Peck, S.B., Thomas, M.C. 1998. A distributional checklist of the beetles (Coleoptera) of Florida. Florida Ent. **82**: 126-127.
- Frank, J.H. 1999. BOOK REVIEW: Hall, F.R., Menn, J.J. (eds.) 1999. Biopesticides. Use and delivery. Florida Ent. **82**: 374-375.
- Frank, J.H. 1999. BOOK REVIEW: Deloya López, C.A., Valenzuela, J.E. (eds.) 1999. Catálogo de insectos y ácaros plaga de los cultivos agrícolas de México. Sociedad Mexicana de Entomología, Publicaciones Especiales no. 1. Florida Ent. **82**: 484.
- Frank, J.H. 1999. JOURNAL REVIEW: New Entomological Taxa. Florida Ent. **82**: 484-485.
- Frank, J.H. 2000. BOOK REVIEW: Barnard, P.C. (ed.) 1999. Identifying British insects and arachnids: An annotated bibliography of key works. Florida Ent. **83**: 114-115.
- Frank, J.H. 2000. BOOK REVIEW: Castner, J.L. 2000. Amazon insects. Florida Ent. **83**: 383.
- Frank, J.H. 2000. BOOK REVIEW: Goddard, J. 1999. Infectious diseases and arthropods. Florida Ent. **83**: 384.
- Frank, J.H. 2000. BOOK REVIEW: Service, M.W. 2000. Medical entomology for students. Florida Ent. **83**: 384-386.
- Frank, J.H. 2000. BOOK REVIEW: McGavin, G.C. 2000. Insects[, ] spiders and other terrestrial arthropods. Florida Ent. **83**: 386-387.

- Frank, J.H. 2000. BOOK REVIEW: Dixon, A.F.G. 2000. Insect predator-prey dynamics. Ladybird beetles & biological control. Florida Ent. **83**: 502-503.
- Frank, J.H. 2000. BOOK REVIEW: Méndez, E. 2000. Insectos y otros artrópodos de importancia médica y veterinaria. Florida Ent. **83**: 503-504.
- Frank, J.H. 2001. BOOK REVIEW: Kitching, R.L. 2000. Food webs and container habitats. The natural history and ecology of phytotelmata. Florida Ent. **84**: 470-471.
- Frank, J.H. 2001. BOOK REVIEW: Gordh, G., Headrick, D. 2001. A dictionary of entomology. Florida Ent. **84**: 742-743.
- Frank, J.H. 2002. BOOK REVIEW: Marcondes, C.B. 2001. Entomologia médica e veterinária. Florida Ent. **85**: 296.
- Frank, J.H. 2002. BOOK REVIEW: Howard, F.W. et al. 2001. Insect on palms. Florida Ent. **85**: 402.
- Frank, J.H. 2003. BOOK REVIEW: Helyer, Y., Brown, K., Cattlin, N.D. A color handbook of biological control in plant protection. Florida Ent. **86**: 497.
- Frank, J.H. 2003. BOOK REVIEW: Tonnancour, J. de. Insects revealed. Monsters or marvels? Florida Ent. **86**: 498.
- Frank, J.H. 2003. BOOK REVIEW: Navarrete-Heredia, J.L., Newton, A.F., Thayer, M.K., Ashe, J.S., Chandler, D.S. Guía ilustrada para los géneros de Staphylinidae (Coleoptera) de México. Florida Ent. **86**: 499.
- Frank, J.H. 2004. BOOK REVIEW: Lenteren, J.C. van (ed.) Quality control and production of biological control agents. Florida Ent. **87**: 100-101.
- Frank, J.H. 2004. BOOK REVIEW: Patterson, G. The mosquito wars. A history of mosquito control in Florida. Florida Ent. **87**: 417-418.
- Frank, J.H. 2004. BOOK REVIEW: Emden, H. van, Service, M.W. Pest and vector control. Florida Ent. **87**: 419-420.
- Frank, J.H. 2005. BOOK REVIEW: Daccordi, M., Giachino, P.M. Results of the Zoological Missions of the Regional Musum of Natural Sciences of Turin, Italy. 1. Monografie XXXV. Florida Ent. **88**: 113.
- Frank, J.H. 2005. BOOK REVIEW: Basset, Y., Novotny, V., Miller, S.E., Kitching, R.L. (eds.) 2003. Arthropods of tropical forests. Spatio-temporal dynamics and resource use in the canopy. Florida Ent. **88**: 233-234.

- Frank, J.H. 2005. BOOK REVIEW: Capinera, J.L., Scott, R.D., Walker, T.J. 2004. Field guide to the grasshoppers, katydids and crickets of the United States. Florida Ent. **88**: 235-236.
- Frank, J.H. 2005. BOOK REVIEW: Samways, M.J. 2005. Insect diversity conservation. Florida Ent. **88**: 237-238.
- Frank, J.H. 2007. BOOK REVIEW: Cano, E.B. (ed.) 2006. Biodiversidad de Guatemala. Florida Ent. **90**: 415-416.
- Frank, J.H. 2007. BOOK REVIEW: McPherson, S. 2007. Pitcher plants of the Americas. Florida Ent. **90**: 417.
- Frank, J.H. 2007. BOOK REVIEW. Evans, A.V., Hogue, J.N. Field guide to beetles of California. Q. Rev. Biol. **82**: 286.
- Frank, J.H. 2007. BOOK REVIEW: Grimaldi, D., Engel, M.S. 2005. Evolution of the insects. Florida Ent. **90**: 588.
- Frank, J.H. 2008. BOOK REVIEW: Minelli, A., Chemini, C., Argano, R., Ruffo, S. (eds.) 2004. Wildlife in Italy. Florida Ent. **91**: 146.
- Frank, J.H. 2008. BOOK REVIEW: Ruffo, S., Stoch, C. 2006. Checklist and distribution of the Italian fauna. Florida Ent. **91**: 147-148.
- Frank, J.H. 2008. BOOK REVIEW: Erwin, T. L. 2007. A treatise on the Western Hemisphere Caraboidea (Coleoptera) their classification, distributions, and ways of life. Volume 1. Trachypachidae, Carabidae – Nebriiformes 1. Florida Ent. **91**: 713-714.
- Frank, J.H. 2009. BOOK REVIEW: Manson, R. H., Hernández-Ortiz, V., Gallina, S., Mehlreter, K. (eds.) 2008. Agroecosistemas cafetaleros de Veracruz: biodiversidad, manejo y conservación. Florida Ent. **92**: 189-190.
- Frank, J.H. 2009. BOOK REVIEW: Van Driesche, R., Hoddle, M., Center, T. 2008. Control of pests and weeds by natural enemies. An introduction to biological control. Florida Ent. **92**: 406.
- Frank, J.H. 2009. BOOK REVIEW: Arredondo-Bernal, H. C. Rodriguez del Bosque, L. A. (eds.) 2008. Casos de control biológico en México. Florida Ent. **92**: 679-680.
- Frank, J.H. 2010. BOOK REVIEW. Schneider, J.C. (ed.) Principles and procedures for rearing high quality insects. Florida Ent. **93**: 329.

## 6. Reports and non-refereed publications.

- Frank, J.H. 1969. The chemical control of canefly. Jamaica Sug. Manufrs' Assoc. Res. Dep., Tech. Bull. **3-69**: 1-8.
- Frank, J.H. 1970. [section on sugar cane pests]. Annu. Rep. 1969 Jamaica Sug. Manufrs' Assoc. Res. Dep.: 79, 81-83.
- Frank, J.H. 1970-1972. [a series of extension articles on sugar cane pests]. Sugar Cane **1** (2): 8, **1** (3): 8, **1** (4): 8, **1** (5): 8, **2** (1): 8, **2** (2): 8, **2** (3): 6, 8, **2** (4): 4-6, **2** (5): 7-8, **3** (4): 5.
- Frank, J.H., Bennett, F.D. 1970. List of sugar cane arthropods of Jamaica. Jamaica Sug. Manufrs' Assoc. Res. Dep., Tech. Bull. **1/70**: 1-24.
- Frank, J.H. 1970. Control of rats in sugar cane. Caribbean Farming **2** (3): 4-8.
- Frank, J.H. 1971. [section on sugar cane pests]. Annu. Rep. 1970 Jamaica Sug. Manufrs' Assoc. Res. Dep.: 77-84, 140-141.
- Frank, J.H. 1972. [section on sugar cane pests]. Annu. Rep. 1971 Jamaica Sug. Manufrs' Assoc. Res. Dep.: 70-81, 122-124.
- Frank, J.H. 1972. The control of rats in sugar cane. Jamaican Assoc. Sug. Technol. J. **31**: 49-53.
- Frank, J.H. 1974. The fourth of July, or what's in a date ? A plea. Coleopts Newsl. (in Coleopts Bull.) **28**: 48, 50.
- Frank, J.H. 1978. Auto-cleaning of captured beetles. Coleopts Newsl. (in Coleopts Bull.) **32**: 40.
- Rey, J.R., Lounibos, L.P., Frank, J.H. 1981. El *Aedes aegypti* y la conexion azucarera. Rassegna (**1981/3**): 39-46, 49-53.
- Frank, J.H. 1986. Biological control of tropical and subtropical mole crickets. [p. II/24-II/31, IN] Proc. 1986 Sympos. Trop./Subtrop. Agr. Res. (Gainesville, 1986).
- Hudson, W.G., Frank, J.H. 1987. Mole crickets: controlling them in Florida pastures is a tough job. Florida Cattleman **51** (April 1987): 28, 30, 56.
- Frank, J.H., Smart, G.C. 1987. The parasitic nematode *Neoaplectana carpocapsae* as a biological control agent for mole crickets [p. 1-3 In:] Report of turfgrass research supported by the Florida Turfgrass Association 1986-1987. Florida Agric. Expt. Stn., Univ. Florida, i + 9 p.



- Frank, J.H., Castner, J.L., Hudson, W.G. 1988. Update on biological control of *Scapteriscus* mole crickets. Florida Turf Digest **5**(6): 3-6.
- Frank, J.H., Smart, G.C. 1988. The parasitic nematode *Neoaplectana* n. sp. as a biological control agent for mole crickets [p. 25-29 *In:*] Report of turfgrass research supported by the Florida Turfgrass Association 1987-1988. Florida Agric. Expt. Stn., Univ. Florida, i + 47 p.
- Frank, J.H., Smart, G.C. 1988. The parasitic nematode *Neoaplectana* n. sp. as a biological control agent for mole crickets. Proc. 36th Annual Florida Turfgrass Conf. (Tampa. 1988): 147-152.
- Frank, J.H., Smart, G.C., Khuong, N.B., Hudson, W.G. 1988. The parasitic nematode *Neoaplectana* n. sp. as a biological control agent for mole crickets. Golf Course Management **56**(3): 116, 118, 122.
- Frank, J.H., Smart, G.C. 1989. Toward biological control of mole crickets [p. 3-6 *In:*] Report of turfgrass research supported by the Florida Turfgrass Association 1988-1989. Florida Agric. Expt. Stn., Univ. Florida, i + 19 p.
- Frank, J.H. 1990. Mole crickets: Current research on their management. Nematology Entomology Pathology News (Florida Cooperative Extension Service) **16**(1): 3-5.
- Frank, J.H. 1990. Biological methods promising for mole cricket control. Southern Turf Management **1**(4): 20-21.
- Frank, J.H., Parkman, J.P., Smart, G.C. 1990. Experimental dispersal of nematodes by mole crickets [p. 2-5 *In:*] Report of turfgrass research supported by the Florida Turfgrass Association 1989-1990. Florida Agric. Expt. Stn., Univ. Florida, i + 24 p.
- Frank, J.H., Wineriter, S.A. 1990. Release of *Ormia depleta* at Doral Golf and Country Club [p. 1 *In:*] Report of turfgrass research supported by the Florida Turfgrass Association 1989-1990. Florida Agric. Expt. Stn., Univ. Florida, i + 24 p.
- Frank, J.H., Smart, G.C. 1990. Biological control of mole crickets, April 1989 to March 1990 [p. 131-134 *In:*] Freeman, T.E. (ed.) Turfgrass Research in Florida, a technical report. Florida Agric. Expt. Stn., Univ. Florida, xi + 384 p.
- Frank, J.H., Smart, G.C. 1990. Experimental dispersal of nematodes by mole crickets. Operating manual, January 1990 [p. 369-384 *In:*] Freeman, T.E. (ed.) Turfgrass Research in Florida, a technical report. Florida Agric. Expt. Stn., Univ. Florida, xi + 384 p.
- O'Brien, C.W., Thomas, M.C., Frank, J.H. 1990. A new weevil pest of *Tillandsia* in south Florida. J. Bromeliad Soc. **40**: 203-205, 222.

- Frank, J.H. 1990. Bromeliads and mosquitoes. Florida Dept. Agr. Cons. Serv., Divn. Pl. Industry, Ent. Circ **331**: 1-2.
- Frank, J.H. 1990. Beginnings of a plan to catalog the cave fauna of Florida. Florida Speleologist **27**: 36-37.
- Frank, J.H. 1991. Beginnings of a plan to catalog the cave fauna of Florida. Part 2. Florida Speleologist **27**: 63-69.
- Frank, J.H., Thomas, M.C. 1991. *Metamasius callizona* kills bromeliads in southeastern Florida. J. Bromeliad Soc. **41**: 107-108.
- Frank, J.H., Thomas, M.C. 1991. *Metamasius callizona* in four counties in south Florida. J. Bromeliad Soc. **41**: 253-255.
- Frank, J.H., Thomas, M.C. 1991. *Metamasius callizona* kills bromeliads in southeastern Florida. Florida Council Bromeliad Socs. Newsl. **11**(1): 4-5.
- Frank, J.H. 1991. Mole crickets and their control in Florida pastures. Proc. 40th Annu. Beef Cattle Shortcourse (Univ. Florida): 86-92.
- Frank, J.H. 1991. The biological control of mole crickets. Golf Course Management **59**(6): 56, 58, 62, 64, 68, 96.
- Frank, J.H., Thomas, M.C. 1991. The rove beetles of Florida (Coleoptera: Staphylinidae). Florida Dept. Agr. Cons. Serv., Divn. Pl. Industry, Ent. Circ. **343**: 1-6.
- Frank, J.H. 1991. Mole cricket research. Proc. 38th Annual Florida Turfgrass Conf. (Orlando, 1990): 100-104.
- Frank, J.H., Wineriter, S.A. 1991. Release of *Ormia depleta* at Doral Resort and Country Club [p. 17-18 *In:*] Report of turfgrass research supported by the Florida Turfgrass Association 1990-1991. Florida Agric. Expt. Stn., Univ. Florida, i + 41 p.
- Frank, J.H., Parkman, J.P., Wineriter, S.A., Smart, G.C. 1991. Experimental dispersal of nematodes by mole crickets [p. 19-21 *In:*] Report of turfgrass research supported by the Florida Turfgrass Association 1990-1991. Florida Agric. Expt. Stn., Univ. Florida, i + 41 p.
- Frank, J.H., Smart, G.C. 1992. Final report on a two-year FTGA-UF study. Florida Turf Digest **9**(2/3): 16, 18-21.
- Frank, J.H., Parkman, J.P., Smart, G.C. 1992. Experimental dispersal of nematodes by mole crickets [p. 16-21 *In:*] Report of turfgrass research supported by the Florida

- Turfgrass Association 1991-1992. Florida Agric. Expt. Stn., Univ. Florida, i + 24 p.
- Parkman, J.P., Frank, J.H. 1992. Red-eyed fly that kills mole crickets spreading across peninsular Florida. Florida turf Digest **9**(5): 24-25.
- Frank, J.H. 1993. *Metamasius callizona*: news update. Florida Council Bromeliad Socs. Newsl. 13: 3.
- Frank, J.H. 1993. Update on *Metamasius callizona* (the bromeliad-killing weevil). Newsl. Bromeliad Guild Tampa Bay (October 1993): 7-8.
- Parkman, J.P., Frank, J.H. 1993. Red-eyed fly provides biological control against mole crickets. Florida Cattleman **58**(3): 52, 61.
- Frank, J.H., Parkman, J.P., Walker, T.J. 1993. Red-eyed fly established throughout south, central Florida. Florida Turf Digest **10**(6): 24-27.
- Frank, J.H., Parkman, J.P. 1993. Mole cricket biocontrol research, April 1992 - March 1993 [p. 131-135, *In:*] Cisar, J.L., Haydu, J.J. (eds). Turfgrass Research in Florida, a technical report. Florida Agric. Expt. Stn., Univ. Florida, xvi + 192 p.
- Frank, J.H., Yount, R.J., Parkman, J.P. 1994. Biological control by *Ormia depleta* is working [p. 150-158 *In:*] Dudeck, A.E. (ed). Turfgrass Research in Florida, a technical report. Florida Agric. Expt. Stn., Univ. Florida, v + 178 p.
- Frank, J.H., Yount, R. 1994. Biological control by the red-eyed Brazilian fly is working. Florida Turf Digest **11**(1): 21-24.
- Frank, J.H., Thomas, M.C. 1994. The homeland of *Metamasius callizona*. J. Bromeliad Soc. **44**(4): 173-176.
- Frank, J.H. 1996. Are biologicals smart mole cricket control? Landscape Management (March 1996): 10G-11G.
- Frank, J.H. 1996. Biological control of mole crickets [p. 104-109 *In:*] Cisar, J.L. (ed.) Turfgrass Research in Florida, a technical report. Florida Agric. Expt. Stn., Univ. Florida, ix + 225 p.
- Frank, J.H. 1996. Biological control of mole crickets [p. 77-80 *In:*] Beef Cattle Short Course Proceedings. May 1-3. Florida Agric. Expt. Stn., Univ. Florida, 80 p.
- Frank, J.H. 1997. Mole crickets: Three ways to control them. Florida Turf Digest **14**(3): 20-22.

- Frank, J.H. 1997. Protection of Florida's native bromeliads by control of *Metamasius callizona*. J. Bromeliad Soc. **47**: 60-64.
- Lombardo, J., Weldon, R.N., Frank, J.H. 1999. Quantification of risk for integrated pest management strategies as a decision making aid with applications for turfgrass in the Southeast. Univ. Florida, Food & Resource Economics Dept., Staff Paper SP 99-1.
- Frank, H., Grissom, C., Williams, C., Jennings, E., Lippi, C., Zerba, R. 1999. A beneficial nematode is killing pest mole crickets in some Florida pastures and is spreading. Florida Cattleman **63**(7): 31-32.
- Frank, J.H., Unruh, J.B. 1999. Insect management [p. 157-164, *in:*] Unruh, J.B., Elliott, M. Best management practices for Florida golf courses. UF/IFAS Publications, Gainesville, ix + 226 p.
- Frank, J.H. 1999. Beneficial nematode killing mole crickets in Florida pastures, still spreading. Florida Turf Digest **16**(4): 32, 34-35.
- Frank, J.H. 1999. Further spread of the weevil *Metamasius callizona* in Florida. J. Bromeliad Soc. **49**(5): 206-209.
- Frank, J.H. 2000. Florida's native bromeliads imperilled by exotic evil weevil. The Palmetto **19**(4): 6-9, 12.
- Welch, H.C., Frank, J.H. 2000. The strange diet of *Ormia depleta*. Florida Turf Digest **17**(2): 22-24.
- Frank, J.H. 2001. Statewide controls for mole crickets. Florida Turf Digest **18**(4): 44-45.
- Frank, J.H., Buss, E.A., Barbara, K. 2002. Beneficial nematodes in turf: Good for how many years against pest mole crickets? Florida Turf Digest **19**(4): 48-50.
- Frank, J.H. 2002. A parasitic fly that kills mole crickets. USGA Green Section Record **40**(5): 9-11.
- Frank, J.H. 2002. A parasitic fly that kills mole crickets. Turf and Environmental Research Online **1**(9): 1-5. (<http://turflib.msu.edu/tero/v01/n09.pdf>)
- Frank, J.H. 2002. Why don't we wipe out *Metamasius callizona* (Mexican bromeliad weevil) with chemicals? Florida Council Bromeliad Socs. Newsl. **22**(2): 10-14.
- Frank, J.H., Arévalo, A., Barbara, K.A. 2003. The little wasp that really can. Florida Turf Digest **20**(4): 18, 20-21, 24.

- Frank, J.H., Leppla, N.C., Vicente, N. 2004. Mole crickets to the South. Florida Turf Digest **21**(4): 20-22 [reprinted **21**(6): 16-17].
- Cave, R.D., Frank, J.H., Larson, B.C., Owen, M. 2004. Exploration for parasitoids of bromeliad weevils in Mesoamerica. J. Bromeliad Soc. **53**: 243-249, 261-265.
- Frank, J.H., Walker, T.J. 2005. Three natural enemies join the war against mole crickets. Florida Turf Digest **22**(3): 10-15.
- Frank, J.H. 2007. *Vriesea platynema*, *Atta* (leaf-cutting ants), and other student experiences in Venezuela. Journal of the Bromeliad Society **57**(1): 34-37.
- Cave, R.D., Frank, J.H., Cooper, T.M., Suazo, A. 2007. Mexican bromeliad weevil biological control report January 13, 2007. Florida Council of Bromeliad Societies Newsletter **27**(1): 20-23.
- Cave, R.D., Frank, J.H., Cooper, T.M., Suazo, A. 2007. Mexican bromeliad weevil biological control report. Florida Council of Bromeliad Societies Newsletter **27**(2): 20-21.
- Cave, R.D., Frank, J.H., Cooper, T.M., Burton, M.S. 2007. Mexican bromeliad weevil biological control report October 13, 2007. Florida Council of Bromeliad Societies Newsletter **27**(4): 12-13.
- Frank, J.H., Giardina, D., Andrus, T., Monzón, J. 2007. Searching in Guatemala for more parasitoids to use against *Metamasius callizona* in Florida. J. Bromeliad Soc. **57**(6): 253-258.
- Cave, R.D., Frank, J.H., Cooper, T.M., Burton, M.S. 2008. Mexican bromeliad weevil report January 12, 2008. Florida Council of Bromeliad Societies Newsletter **28**(1): 12-13.
- Cave, R.D., Frank, J.H., Cooper, T.M. 2008. Mexican bromeliad weevil report April-September 2008. Florida Council of Bromeliad Societies Newsletter **28**(4): 18-20.
- Cave, R.D., Frank, J.H., Cooper, T.M. 2009. Mexican bromeliad weevil report April-September 2008 [should have been October-December 2008]. Florida Council of Bromeliad Societies Newsletter **29**(1): 16-19.
- Frank, J.H. 2009. Short-winged mole crickets (*Scapteriscus abbreviatus*). Aliens of Xamayca **2**(2): 3.
- Cave, R.D., Frank, J.H., Cooper, T.M. 2009. Mexican bromeliad weevil report April-September 2008 [should have been October-December 2008]. Florida Council of Bromeliad Societies Newsletter **29**(1): 16-19.

- Cave, R.D., Frank, J.H., Cooper, T.M. 2010. Mexican bromeliad weevil report October-December 2009. Florida Council of Bromeliad Societies Newsletter **30**(1): 18-20.
- Fontes, E., Frank, J.H., Gillmore, J., Matthews Lott, D. 2010. Dale H. Habeck, 1931-2010. Florida Ent. **93**: 478-479.
- Cave, R.D., Cooper, T.M., Frank, J.H. 2010. Mexican bromeliad weevil report July-September 2010. Florida Council of Bromeliad Societies Newsletter **30**(4): 11-12.
- Frank, J.H., Giardina, D.J., Andrus, T.A. 2011. Exploration in Guatemala and Belize for more parasitoids to use against *Metamasius callizona* in Florida. Journal of the Bromeliad Society **61**: 112-115.
- Cave, R.D., Cooper, T.M., Frank, J.H. 2011. Mexican bromeliad weevil report October – December 2010. Florida Council of Bromeliad Societies Newsletter 31(1): 11-12.
- Cave, R.D., Cooper, T.M., Frank, J.H. 2011. Mexican bromeliad weevil report January – March 2011. Florida Council of Bromeliad Societies Newsletter 31(2): 21-22.
- Frank, J.H., Leppla, N.C. 2011. Mole cricket biological control for Florida sod growers. Florida Lawn (3<sup>rd</sup> quarter 2011): 17.
- Cave, R.D., Cooper, T.M., Frank, J.H. 2011. Mexican bromeliad weevil report July – September 2011. Florida Council of Bromeliad Societies Newsletter 31(3): 20-21.
- Frank, J.H. 2012. ICZN Code. Antenna 36: 90.
- Cooper, T.M., Cave, R.D., Frank, J.H. 2012. Mexican bromeliad weevil report. Florida Council of Bromeliad Societies, Newsletter **32**(2): 22-23.
- Cooper, T.M., Cave, R.D., Frank, J.H. 2012. Mexican bromeliad weevil report. Florida Council of Bromeliad Societies, Newsletter **32**(4): 21-22.
- Cooper, T.M., Cave, R.D., Frank, J.H. 2013. Mexican bromeliad weevil report 12 January 2013. Florida Council of Bromeliad Societies, Newsletter **33**(1): 14-16 [this is the report for late 2012].
- Cooper, T.M., Cave, R.D., Frank, J.H. 2013. Mexican bromeliad weevil report 12 January 2013. Florida Council of Bromeliad Societies, Newsletter **33**(2): 11-12 [despite the title, this is the report for January-March 2013].
- Cooper, T.M., Cave, R.D., Frank, J.H. 2013. Mexican bromeliad weevil report. Florida Council of Bromeliad Societies, Newsletter **33**(4): 13-14 [this was the last printed Newsletter – thereafter all were published only online and without pagination – published reports from January 2006 to November 2013 too are now online at <http://fcbs.org/>].

## 7. Films and videotapes.

Frank, J.H., Jenssen, T.A. 1970. Sugar cane borers. Sugar Manuf. Assoc. (of Jamaica). A film (super 8 mm format) of 12 min.

Frank, J.H., Kelsey, W.K., Hendricks, K., Noonan, R. 1998. Mole crickets and their natural control. UF, IFAS, EMS, VT-893. A videotape (VHS) of 15 min. 39 sec.

**8. Electronic (WWW) publications.** Note that all those on University of Florida servers have been updated since their original publication (and some of the updates have been considerable) so that they may be thought of as works in progress.

Frank, J.H. 1996. A bibliography of the aquatic biota in bromeliad phytotelmata.

Published on WWW at

<http://entnem.ifas.ufl.edu/frank/BromeliadBiota/bromfit.htm>

Frank, J.H. 1996. Bromeliad-inhabiting mosquitoes in Florida. Published on WWW at

<http://entnem.ifas.ufl.edu/frank/BromeliadBiota/mosbrom.htm>

Frank, J.H. 1996. Carnivorous bromeliads. Published on WWW at

<http://entnem.ifas.ufl.edu/frank/bromeliadbiota/carnbr.htm>

Frank, J.H., Thomas, M.C. 1996. Weevils that eat bromeliads. Published on WWW at

<http://entnem.ifas.ufl.edu/frank/bromeliadbiota/wvbrom.htm>

Frank, J.H. 1997. Staphylinidae. In: Solís, A. (ed.) Las familias de insectos de Costa Rica. INBio. <http://www.inbio.ac.cr/papers/insectoscr/Texto54.html> The editor requested this document but would not permit an account at the subfamily level commensurate with the size of the family. Nevertheless, these pages were later replaced by the editor, without notice, by a more detailed account at the subfamily level by other authors.

Heppner, J.B., Frank, J.H. 1999. Bromeliad pod borer. Featured Creatures, EENY-40.

([http://entnem.ifas.ufl.edu/creatures/orn/bromeliad\\_pod\\_borer.htm](http://entnem.ifas.ufl.edu/creatures/orn/bromeliad_pod_borer.htm))

Frank, J.H., Thomas, M.C. 2010. Rove beetles [of the world]. Featured Creatures, EENY-

114. ([http://entnem.ifas.ufl.edu/creatures/misc/beetles/rove\\_beetles.htm](http://entnem.ifas.ufl.edu/creatures/misc/beetles/rove_beetles.htm))

Frank, J.H., Thomas, M.C. 2010. Rove beetles [of Florida]. Featured Creatures, EENY-

115. ([http://entnem.ifas.ufl.edu/creatures/misc/beetles/fl\\_rove\\_beetles.htm](http://entnem.ifas.ufl.edu/creatures/misc/beetles/fl_rove_beetles.htm))

Frank, J.H., Mizell, R.F. 2000. Ladybirds. Featured Creatures, EENY-170.

([http://entnem.ifas.ufl.edu/creatures/beneficial/lady\\_beetles.htm](http://entnem.ifas.ufl.edu/creatures/beneficial/lady_beetles.htm)).

- Larson, B., Frank, J.H. 2000. *Metamasius callizona*. Featured Creatures, EENY-161. ([http://entnem.ifas.ufl.edu/creatures/orn/m\\_callizona.htm](http://entnem.ifas.ufl.edu/creatures/orn/m_callizona.htm)).
- Larson, B., Frank, J.H., Creel, O.R. 2001. *Metamasius mosieri*. Featured Creatures, EENY-209. ([http://entnem.ifas.ufl.edu/creatures/orn/m\\_mosieri.htm](http://entnem.ifas.ufl.edu/creatures/orn/m_mosieri.htm)).
- Adjei, M.B., Crow, W.T., Smart G.C., Frank, J.H., Leppla, N.C. 2001. Biological control of pasture mole crickets with nematodes. IFAS, EDIS ENY-009 (<http://edis.ifas.ufl.edu/IN123>).
- Frank, J.H., Sourakov, A. 2002. Larra wasps. Featured Creatures, EENY-268. ([http://entnem.ifas.ufl.edu/creatures/beneficial/Larra\\_wasps.htm](http://entnem.ifas.ufl.edu/creatures/beneficial/Larra_wasps.htm)).
- Bibbs, C.S., Frank, J.H. 2012. Saddleback caterpillar, *Acharia stimulea* (Clemens) (Insecta: Lepidoptera: Limacodidae). Featured Creatures, EENY-522. ([http://entnem.ifas.ufl.edu/creatures/urban/medical/saddleback\\_caterpillar.htm](http://entnem.ifas.ufl.edu/creatures/urban/medical/saddleback_caterpillar.htm) )
- Frank, J.H., Fasulo, T.R., Short, D.E., Weed, A.S. 2003. MCricket. Alternative methods of mole cricket control. Version 2. (<http://entnem.ifas.ufl.edu/fasulo/MoleCrickets/>)
- Frank, J.H., Thomas, M.C. 2004. Invasive insects (adventive pest insects) in Florida. University of Florida, IFAS, EDIS ENY-827 (<http://edis.ifas.ufl.edu/IN503>)
- Larson, B.C., Frank, J.H., Allen, G.M., Main, M.B. 2005. Florida's native bromeliads. University of Florida, IFAS, Department of Wildlife Conservation and Ecology, Circular 1466 (<http://edis.ifas.ufl.edu/UW205>).
- Adjei, M.B., Smart, G.C., Frank, J.H., Leppla, N.C. 2006. Timing the application of beneficial nematodes to mole cricket activity on pasture to optimize control. University of Florida, IFAS, EDIS ENY-663 (<http://edis.ifas.ufl.edu/IN413>).
- Frank, J.H., Adjei, M.B., Smart, G.C., Adams, B.J. 2006. Infectivity and persistence of *Steinernema scapterisci* nematodes on pasture mole crickets in Florida. University of Florida, IFAS, EDIS ENY-669 (<http://edis.ifas.ufl.edu/IN416>).
- Frank, J.H., Gillett, J.L. 2006. Glossary of expressions in biological control. University of Florida, IFAS, EDIS IPM-143 (<http://edis.ifas.ufl.edu/IN673>).